



INTERNATIONAL
FOOD POLICY
RESEARCH
INSTITUTE

IFPRI Discussion Paper 01686

December 2017

**The Reality of Food Losses
A New Measurement Methodology**

Luciana Delgado

Monica Schuster

Maximo Torero

Markets, Trade, and Institutions Division

INTERNATIONAL FOOD POLICY RESEARCH INSTITUTE

The International Food Policy Research Institute (IFPRI), established in 1975, provides evidence-based policy solutions to sustainably end hunger and malnutrition and reduce poverty. The Institute conducts research, communicates results, optimizes partnerships, and builds capacity to ensure sustainable food production, promote healthy food systems, improve markets and trade, transform agriculture, build resilience, and strengthen institutions and governance. Gender is considered in all of the Institute's work. IFPRI collaborates with partners around the world, including development implementers, public institutions, the private sector, and farmers' organizations, to ensure that local, national, regional, and global food policies are based on evidence.

AUTHORS

Luciana Delgado (Luciana.Delgado@cgiar.org) is a Senior Research Assistant in the Markets, Trade, and Institutions Division of the International Food Policy Research Institute, Washington, DC.

Monica Shuster (Monica.Schuster@uantwerpen.be) is a Post-doctoral Researcher Fellow at the Institute for Development Policy and Management (IOB) of the University of Antwerp, Belgium.

Maximo Torero (mtorero@worldbank.org) is Executive Director at the World Bank, Washington, DC.

Notices

¹ IFPRI Discussion Papers contain preliminary material and research results and are circulated in order to stimulate discussion and critical comment. They have not been subject to a formal external review via IFPRI's Publications Review Committee. Any opinions stated herein are those of the author(s) and are not necessarily representative of or endorsed by the International Food Policy Research Institute.

² The boundaries and names shown and the designations used on the map(s) herein do not imply official endorsement or acceptance by the International Food Policy Research Institute (IFPRI) or its partners and contributors.

³ Copyright remains with the authors.

Contents

Abstract	v
Acknowledgments	vi
1. Introduction	1
2. Divergence in terminology and definitions	5
3. How loss has been measured	8
4. Proposed approach	12
5. Methodology	14
6. Data	19
7. Results	30
8. Conclusions	35
References	46
Appendix A	49
Appendix B	57

Tables

Table 1: Sample size	25
Table 2: Producer characteristics	27
Table 3: Middleman characteristics	28
Table 4: Processor characteristics	29
Table 5: Quantitative and qualitative food losses along the value chain, estimated with four methodologies	41
Table 6: Determinants of losses in the potato value chains in Ecuador and Peru (GLM model)	42
Table 7: Determinants of losses in the bean value chains in Guatemala and Honduras (GLM model);	43
Table 8: Determinants of losses in the maize value chains in Guatemala and Honduras (GLM model)	44
Table 9: Determinants of losses in the teff value chain in Ethiopia (GLM model)	45
Table A1: Survey questions to estimate food losses with the ‘Self-reported method’	49
Table A2: Losses along the potato value chain in Ecuador	50
Table A3: Losses along the potato value chain in Peru	51
Table A4: Losses along the bean value chain in Guatemala	52
Table A5: Losses along the maize value chain in Guatemala	53
Table A6: Losses along the bean value chain in Honduras	54
Table A7: Losses along the maize value chain in Honduras	55
Table A8: Losses along the teff value chain in Ethiopia	56

Figures

Figure 1: Levels at which food loss occurs	7
Figure 2: PFWL estimation methodologies	10
Figure 3: Overview of global PFLW magnitudes from recent studies	11
Figure 4: Self-Reported Causes of of Pre-Harvest Losses	37
Figure 4.a: Potato Ecuador	37
Figure 4.b: Potato Peru	37
Figure 4.c: Beans Guatemala	38
Figure 4.d: Beans Honduras	38
Figure 4.e: Maize Guatemala	39
Figure 4.f: Maize Honduras	39
Figure 4.g: Teff Ethiopia	40

ABSTRACT

Measuring food loss, identifying where in the food system it occurs, and developing effective policies along every stage of the value chain are essential first steps in addressing the problem of food loss and waste in developing countries. Food loss has been defined in many ways, and disagreement remains regarding proper terminology and measurement methodology. Although the terms “post-harvest loss,” “food loss,” “food waste,” and “food loss and waste” are frequently used interchangeably, they do not refer consistently to the same aspects of the problem. In addition, none of these classifications includes pre-harvest losses. Consequently, and despite the presumed importance of food loss, figures regarding food loss remain highly inconsistent, precise causes of food loss remain undetected, and success stories of decreasing food loss remain few. We improve over this measurement gap on food losses by developing and testing the methodology traditionally used with three new methodologies that aim to reduce the measurement error and that allow us to assess the magnitude of food loss. The methods account for losses from the pre-harvest stage through product distribution and include both quantity loss and quality deterioration. We apply the instrument to producers, middlemen, and processors in seven staple food value chains in five developing countries. Loss figures across all value chains fluctuate between 6 and 25 percent of total production and of the total produced value; these figures are consistently largest at the producer level and smallest at the middleman level. The identified losses are in addition to the existing yield gaps identified across the different commodities studied which are in the range of 50 to 80%. Throughout the different estimation methodologies, losses at the producer level represent between 60 and 80 percent of total value chain losses, while the average loss at the middleman and processor level lies around 7 and 19 percent, respectively. Differences across methodologies are salient, especially at the producer level. While the estimation results from the three new methods implemented are close and the differences are mostly not statistically significant, the aggregate self-reported method reports systematically lower loss figures. Finally, our results show the major reasons behind the losses identified for each commodity and country. Specifically, we find that they included pests and diseases and lack of rainfall. When looking at the produce left in the field, the major reason for the loss is a lack of appropriate harvesting techniques. Finally, the loss reported at the post-harvest level is due mostly to damage done during selection, as a result of workers’ lack of training and experience in selecting the produce. Therefore, technology, improved seeds and the proper soil management techniques together with better market access could help to substantially reduce the losses at the producer level.

Keywords: Food loss, value chain, methodology

ACKNOWLEDGMENTS

This work was undertaken as part of the CGIAR Research Program on Policies, Institutions, and Markets, which is led by IFPRI and funded by the CGIAR Fund Donors. This paper has not undergone IFPRI's standard peer-review process. We are thankful to Francisco Olivet for his incredible support on the implementation of the surveys in Guatemala and Honduras as well as to the Teams of the CIP and ICARDA for their support in Peru, Ecuador and Ethiopia. The opinions expressed here belong to the authors and not necessarily reflect those of PIM, IFPRI, or CGIAR. Any remaining errors are the sole responsibility of the authors.

1. INTRODUCTION

Food loss and food waste have become an increasingly important topic in the development community. In fact, the United Nations included the issue of food loss and waste in the Sustainable Development Goal target 12.3, which aims to “halve per capita global food waste at the retail and consumer levels and reduce food losses along production and supply chains, including post-harvest losses” by 2030. Food loss and food waste have caught the attention of both researchers and policymakers for several reasons. First, growing populations and changing diets associated with greater wealth are increasing the pressure on the world’s available land, constituting serious threats to food security, especially in developing countries. Policies to reverse this situation have mainly aimed at increasing agricultural yields and productivity, but these efforts are often cost- and time-intensive. Second, the loss of marketable food can reduce producers’ income and increase consumers’ expenses, likely having larger impacts on disadvantaged segments of the population. Third, food loss and waste entail unnecessary greenhouse gas emissions and excessive use of scarce resources.

Food loss and waste occurs at different stages of the food value chain (VC): production, post-production procedures, processing, distribution, and consumption (FAO, 2011; HLPE, 2014; Lipinski et al., 2013). Figure 1 shows the stages of the value chain at which food loss occurs, as well as the dimensions that are potentially responsible for loss at each stage. The distribution of loss and waste along the food chain is different depending on the commodity and the geographical location in question, but food loss and waste are commonly the result of underlying inefficient, unequal, and unsustainable food systems.

By reducing food loss and waste, we can improve food availability and food access without increasing the use of agricultural inputs, scarce natural resources, or improved technologies on the production side. Recent reports, however, highlight that success stories of decreasing food waste (WRAP, 2009) and food loss (World Bank, 2011) are not many, and figures on food loss and food waste remain highly inconsistent. Thus, while various governmental, research, and civil society initiatives have been launched to address this important issue, large results are yet to be seen.

The implementation of a strategy to reduce food loss faces three important challenges. First, no accurate information exists about the extent of the problem (especially in developing countries). The available estimates suggest that food loss is alarmingly high and may account for at least one-third of total global food production. For the most part, calculations of food loss hinge upon accounting exercises that use aggregate data from food balance sheets provided by national or local authorities. These “macro” estimations are subject to considerable measurement error, rely on poor quality data, or are not based on representative samples. Moreover, they only quantify the volume of food that is lost and do not take into account potential deterioration of quality or reductions of economic value that also affect farmers and consumers.

More recently, efforts have been made to use micro data to estimate food loss. These estimations rely on surveys collected among different actors across the food value chain. However, they tend to be based on case studies that are not representative of a country’s larger populations. Additionally, these studies use different definitions of food loss, hampering comparisons across different areas and crops. Due to their lack of representativeness and differences in their methodologies, the available micro-based estimates are widely variable and yield inconclusive evidence about the extent of food loss.

The second challenge is the scarce evidence regarding the source of food loss. Food loss is associated with a wide array of factors (e.g., poor agricultural management skills and techniques, inadequate storage, deficient infrastructure, inefficient processing, lack of coordination in marketing systems, etc.) and can occur in different stages of the value chain (i.e., production, harvesting, post-production, processing, distribution, or consumption). Because of the aggregate nature of their data, macro studies are unable to capture the critical stages at which food loss occurs. Arguably due to the cost of primary data collection, most micro studies have not incorporated detailed information regarding sources of food loss in their survey instruments. Most of these studies aim to capture total food loss based on farmers’ self-reported estimates but do not aim to disentangle the relevant production phases in which losses are generated. For example, studies using the nationally representative Living Standard Measurement Surveys – Integrated Surveys on Agriculture (LSMS – ISA) ask farmers to assess the proportion of their crops lost to rodents, pests, insects, flooding, rotting,

theft, or other reasons; these studies can only provide global estimates. A few studies have collected more comprehensive information about the particular stages in which losses occur; however, these studies are based on small samples in particular locations, making their results difficult to extrapolate.

Third, there is little evidence regarding how to successfully reduce food loss across the value chain. There have been efforts to introduce particular technologies along specific stages of the value chain (e.g., silos for grain storage, triple bagging for cowpea storage, or mechanized harvesting and cleaning equipment for wheat and maize). However, little evidence exists regarding adoption rates or the economic sustainability of these efforts. In particular, there is a need to better understand how to introduce economic incentives for actors from farm-to-fork, taking into account the upstream and downstream linkages across the value chain.

This paper aims to resolve the first two challenges described above. Our objective is to improve how food loss is quantified¹ and characterize the nature of food loss across the value chain for different commodities in a wide array of countries². For this purpose, we designed a set of surveys to measure the extent of food loss. While the surveys were tailored to specific countries and commodities and commodity varieties (for example, while Maize in Honduras and Guatemala have the same attributes, wheat in China has different attributes than wheat in Mexico), they provide a consistent measurement of food loss across different agents in the value chain (i.e., farmers, middlemen, and processors). The surveys capture detailed information about these agents' different processes and quantify food loss along each production stage by collecting self-reported measures of the volumes and values of food losses incurred during different processes (harvesting, threshing, milling, shelling, winnowing, drying, packaging, transporting, sorting, picking, transforming, etc.). In addition, we estimate losses based on commodity damage by collecting detailed data from farmers, middlemen, and processors regarding the quality (based on damage coefficients) of agricultural commodities that they use as inputs and outputs. This allows us to quantify food loss in terms of the quality attributable to each agent across the value chain. Finally, we also estimate food loss based on

¹ We follow de Mel et.al 2009 framework in the sense of exploring different ways to measure food losses so to reconcile how far we can reconcile self-reported food losses through more detail questions across the different stages of the value chain.

² It is important to mention that this paper does not measure food waste as Bellemare et.al 2017.

commodity attributes by capturing information about different types of commodity attributes (e.g., size, impurities, broken grain, etc.) and ascertaining the price penalty that each of these types of crop damage entails. In this line, we are able to identify particular factors that diminish commodities' values and thus are able to quantify food quality loss based on market conditions.

The surveys implemented allow us to quantify the extent of food loss across the value chain using consistent approaches that are comparable across commodities and regions. They also enable us to characterize the nature of food loss; specifically, we are able to ascertain the production stages across of the value chain and the particular processes in which losses are incurred. The results will therefore inform us about the particular areas that require investments to reduce food loss.

The paper is divided as follows. The first section looks at different issues regarding the definition of food loss across the value chain. We then conduct a review of the existing work on value chains and identify the major problems and gaps in the literature. In the third section, we present our methodological approach, followed by our key findings for Ethiopia, Ecuador, Honduras, Guatemala, and Peru. Finally, we examine the major reasons for the identified losses, using detailed regression analysis. The paper ends with conclusions and policy recommendations.


2. DIVERGENCE IN TERMINOLOGY AND DEFINITIONS

The literature contains a common agreement regarding value chain stages (Figure 1), as well as agreement on the fact that food loss occurs at each stage (e.g., FAO, 2011; Lipinski et al., 2013; Parfitt, Barthel, and Macnaughton, 2010). However, no agreement exists regarding further classification of food loss and food waste. The terms ‘Post-Harvest Losses’ (PHL), ‘Food Loss’ (FL), ‘Food Waste’ (FW), and ‘Food Loss and Waste’ (FLW) are frequently used interchangeably, but they hardly ever refer consistently to the same concept. For some authors, the distinction is linked to the stages at which the loss occurs. For others, the distinction is based on the cause of the food loss and whether it was intentional. Some recent publications have tried to create more clarity (FAO, 2014; HLPE, 2014; Lipinski et al., 2013). In these studies, FL refers to unintentional reductions in food quantity or quality before consumption; these losses usually occur in the earlier stages of the food value chain, from production to distribution. PHL is a sub-section of FL, excluding losses at the production level (although losses during harvest are sometimes misleadingly included in the concept; e.g. Affognon, 2014; APHLIS, 2014). FW refers to food that is fit for human consumption but that is deliberately discarded; this is most common at the end of the value chain. The totality of losses and waste along the value chain with respect of total harvested production are encompassed in FLW (FAO, 2014); however, this definition does not include crops lost before harvest because of pests and diseases or left in the field, crops lost due to poor harvesting techniques or sharp price drops, or food that was not produced because of a lack of proper agricultural inputs. To include these pre-harvest losses, we propose a more expansive definition that will capture all losses across the value chain (see Figure 1). It is important to note that in this paper, we do not look at waste at the end of the value chain. This is because, from an integrated value chain perspective, pre-harvest conditions have direct impacts on eventual losses at later stages of the chain, due to products’ different quality, storage- and shelf-life, and transport suitability.

There is also no agreement in the literature regarding the definition of food loss within each VC stage. To give just one example of differing definitions: losses across the value chain can originate from reductions in both food quantity and food quality and can thus describe either weight,

caloric, nutritional, and/or economic losses. Due to estimation difficulties, product seasonality, and markets' sensitivity to food quality, most studies analyze quantitative losses, describing losses in terms of weight reductions (e.g., APHLIS, 2014; HLPE, 2014); these reductions sometimes translate into caloric terms (e.g. Kummu et al., 2012; Lipinski et al., 2013), but they still do not capture qualitative dimensions such as nutritional content and physical appearance (see Affognon et al. (2014) for a literature review). The choice of definition used depends on a stakeholders' priorities, as well as on the data available; however, that choice has important implications for the estimation methodology used to examine food loss, as well as on the interpretation of results.

Figure 1: Levels at which food loss occurs



3. HOW LOSS HAS BEEN MEASURED

Two main estimation methodologies have been used to study food loss across the value chain: a macro approach, using aggregated data from national or local authorities and large companies, and a micro approach, using data regarding specific actors of the different value chain stages (Figure 2). The macro approach relies on mass or energy balances in which raw material inputs, in either weight or caloric terms, are compared to produce outputs. This method provides a cost-effective indication of the overall losses along the entire value chain and was used by Gustavsson et al. (FAO, 2011), the study that has been most quoted and used as a reference for food loss at the global level. By using FAO Stat's Food Balance Sheets, this study estimates that around 32 percent of global food production, across all production sectors, is lost along the entire food value chain. Kummu et al (2012) and Lipinski et al. (2013) use the same raw data and find that this translates into a 24 percent decrease in caloric terms. In country-specific studies, macro energy balances show that 48 percent of the total calories produced are lost across the whole food VC (Beretta et al. 2013; Switzerland), while mass balance data series from USDA data, using alternative assumptions, show that 28.7 percent of the harvested product is lost between post-production and consumption (Venkat et al., 2011; US) and that 31 percent of the available food supply is lost at distribution and consumption (Buzby et al. 2014, US). One disadvantage of this method is the demand for representative and good quality production, loss, and waste data. Data gaps are particularly apparent for certain regions of the world, such as low-and middle-income countries, and specific stages of the VC, such as primary production, processing, and retail (Stuart, 2009). The method is also not representative of smaller regional units, preventing identification of the value chain stages at which the losses occur; these challenges the appropriate targeting of loss reduction interventions. Finally, the aggregated data used for mass balances are often incapable of differentiating between natural loss (e.g., moisture loss) and unnatural weight loss for example due to spoilage, as well as edible and inedible loss.

The micro approach, on the other hand, uses sample data regarding specific value chain actors. Data are obtained through different methods: structured questionnaires and interviews, food loss and waste diaries compiled directly by the VC actor, direct measurements by the researcher, and food scanning methods, which can be used in developed retail markets. These methods are highly region- and context-specific, are more useful in disentangling the origin of loss along the value chain, and tend to provide more insights into causes and prevention possibilities. The most famous estimate for developing countries is given by the African Postharvest Losses Information System, which provides post-harvest weight loss estimates for cereal crops in Africa south of the Sahara (APHLIS, 2014). According to APHLIS, FL from production and post-production for cereals lies between 14.3 and 15.8 percent of total production. Kader (2009) reviews previous estimates of losses in both developing and developed countries and finds an average of 32 percent loss for fruits and vegetables. Official Eurostat data are used in the study by Monier et al. (2010) to quantify loss along different stages of the VC for 27 EU member states; by excluding waste at the agricultural production level, Eurostat estimates an annual average of 89 million tons of waste (i.e. 179 Kg per capita). A study by WRAP (2010) analyzes waste from the UK food and drink supply chain and finds that across processing, distribution, and consumption, 18.4 Mio tons of total food and drink are wasted annually in the UK; households are responsible for the largest share, wasting 22 percent of their purchases (WRAP, 2009).

The main challenges for the use of these micro methods to estimate food loss is cost and time to implement the studies, as well as the difficulty in getting a large enough proportion of responses to represent an entire VC or region. In addition, results are hard to compare because studies are adapted to their specific objective, focus only on specific stages of the VC, and use different data collection and estimation methodologies.


Figure 2 summarizes the two approaches to PFLW estimation, highlighting their advantages and drawbacks. Figure 3 provides an overview of global PFLW magnitudes from recent studies, distinguishing the two estimation approaches.³

Figure 2: PFWL estimation methodologies

	DATA & METHODS	PROS	CONS
Macro approach	<p>Data: National or regional aggregated statistics</p> <p>Methods:</p> <ul style="list-style-type: none"> • Mass- and energy balances: comparison of raw material input and produced output 	<ul style="list-style-type: none"> • Cheap and straightforward implementation • Representative for large region and good comparability 	<ul style="list-style-type: none"> • High requirements on data quantity, quality and standardized collection methodologies • Not representative for specific regional units • No distinction between: <ul style="list-style-type: none"> ○ VC stages where loss occurs ○ Natural and unnatural loss ○ Edible and non-edible loss
Micro approach	<p>Data: data on a sample of value chain actors, often collected ad-hoc</p> <p>Methods:</p> <ul style="list-style-type: none"> • Questionnaires and interviews • Food loss and waste diary • Direct measurement, through weighing or volume assessment • Scanning 	<ul style="list-style-type: none"> • Commodity, climatic zone and context specific • Detailed, fully relevant and VC stage specific data • Insights into causes and prevention possibilities 	<ul style="list-style-type: none"> • Costly and time consuming • Representativeness highly sensitive to sampling choices • Sensitive to the estimation timing • Estimates are often not comparable, and cannot be generalized • Same estimation method can often not be applied to all VC stages

³ This does not intend to be a complete literature review, but merely provides reference on estimates from previous research. We selected studies encompassing more than one level and/ or commodity of the value chain. For a complete literature review, please see Affognon, 2015; Fusions, 2013; or Kader, 2009

Figure 3: Overview of global PFLW magnitudes from recent studies



4. PROPOSED APPROACH

One main barrier to dealing with food loss and waste is the lack of clear knowledge regarding the magnitude of the problem (Lipinski et al., 2013). Uniform estimation methods to provide consistent loss figures are necessary, but they alone will not be sufficient to identify the underlying causes of and potential solutions to food loss or to outline priorities for action and monitor specific progress on loss reduction targets.

First, a standard definition and terminology for food loss and waste is crucially needed. This definition must adopt a value-chain approach, accounting for the fact that conditions at one stage of the chain likely affect losses and waste at later chain stages. Specifically, this definition needs to include pre-harvest losses, as their exclusion could lead to food loss and waste reduction interventions that do not tackle the source of the problem. This new definition must include both quantitative and qualitative reduction criteria, exclude natural, inedible, and unavoidable loss, and be able to be measured in economic, caloric, or quality-adjusted weight terms.

Second, loss assessment must prioritize analyses that identify the VC stages at which losses are created, rather than analyses that identify an exact overall figure. Loss measurement must also take into account the origin of food reductions along the value chain, as well as their geographical distribution.

We propose a developing country methodology that can measure losses at different stages of the value chain and that can be applied across crops and regions. Specifically, we propose three alternative methodologies against the mostly used methodology of aggregate self-reported measures of loss. The analysis will be limited to losses between the production and processing stages, as this is where inefficiencies are largest in developing countries. Information will be collected through representative surveys of farmers, middlemen, and transformers. These surveys will allow for the characterization of inputs, harvesting, storage, handling, and processing practices for each of these agents and will estimate the quantities, quality, and prices of the production as it travels along the value chain.

Our methodology captures both quantitative and qualitative losses, as well as discretionary losses among the processing, large distribution, and retail sectors. Food waste and household waste are more challenging to capture, and data need to be collected on representative samples. This will require the development of a widely `accepted sampling and measurement framework, which will likely be composed of a mixture of methods (e.g. waste composition analysis, questionnaires, interviews, or waste diaries; see WRAP, 2013). This paper does not look at food waste.

5. METHODOLOGY

We test different methodologies to estimate food loss along the value chain by drawing on the literature and economic theory. Our methodologies are applied to the producer, middleman, and processor level of the value chain to cover the main steps at which loss might occur. Due to the heterogeneity of the crop transformation processes at later steps in the value chain, at the wholesale level only the aggregate ‘self-reported’ food loss measurement method might be used. All methodologies estimate both the total food that is lost (quantitative loss) and the product that, albeit not being completely lost, is affected by quality deterioration (qualitative loss). The reference period is the last cropping season at the producer level; for the middlemen and the processors, it is a defined time-period (depending on the country).

Self-reported method

The aggregate ‘self-reported method’ (S-method) is based on reporting by the producers, middlemen, and processors regarding the food losses they each incurred. Self-reporting has been widely used in recent studies on food loss (e.g., Kaminski and Chistiaensen, 2014; Minten et al., 2016a; Minten et al., 2016b).

We use this method at the producer, middleman, and processor level. Direct survey questions inquire each actor about their quantitative and qualitative losses. At the producer level, the survey instrument includes questions about pre-harvest and post-harvest losses. Middlemen and processors are asked about losses at different stages of post-harvest activities and transformation processes. Table A1 in the appendix provides insights about the exact survey questions used in the three survey instruments. The responses to the questions are added up to obtain the total loss figures in weight and values at the level of the three value chain actors.

Category method

The ‘category method’ (C-method) is based on the evaluation of a crop and the classification of that crop into quality categories. The method builds on the ‘Visual Scale Method’, developed by Compton and Sherington (1999) to rapidly estimate quantitative and qualitative grain loss. The C-method classifies each

product into its end use, i.e. suitable for export, the formal market, the informal market, animal feed, etc. Each category is associated with a crop damage coefficient, indicating the percentage of the crop that is damaged within each category. The categories are established prior to data collection in collaboration with commodity specialists, local experts and value chain actors and vary between four and six, according to the commodity and country. In addition, an extensive pilot was conducted to validate the categories. By means of the described categories and damage coefficients, farmers are asked to evaluate their production at harvest and after post-harvest activities, while middlemen are asked to evaluate their product at purchase and sales. Both farmers and middlemen indicate at which price they sell the produce in the different categories, as well as a sales' price for ideal produce in the high and low season. At the producer level, the quantitative and qualitative loss in weight and in value are given by eq. 1 and 2, respectively:

$$WeightLoss_p = \sum_{i=1}^I C_i * QC_{iPH} + (Q_{Prod} - Q_{PH}) \quad (1)$$

$$ValueLoss_p = \sum_{i=1}^I (\bar{P}_{ideal} - \bar{P}_{Ci}) * QC_{iPH} + (V_{Prod} - V_{PH}) \quad (2)$$

where c_i is the damage coefficient for category I (where the total number of categories are I), \bar{P}_{ideal} is the sample average sales price for an ideal product⁴, \bar{P}_{Ci} is the sample average sales price for a product in category i , and QC_{iPH} is the quantity in each category after post-harvest. Q_{PH} and V_{PH} are respectively the quantity and value of all produce after post-harvest, while Q_{Prod} and V_{Prod} are the quantity and value of all produce after production. The difference in quantities or values (the second terms of equation 1 and 2) provide us with the total quantity or value lost between production and post-harvest activities.

At the middleman level, the quantitative and qualitative loss in weight and in value are given by eq. 3 and 4, respectively:

$$WeightLoss_M = \sum_{i=1}^I C_i (QC_{iSale} - QC_{iPurchase}) + WeightTotLost \quad (3)$$

$$ValueLoss_M = \sum_{i=1}^I (\bar{P}_{ideal} - \bar{P}_{Ci}) * (QC_{iSale} - QC_{iPurchase}) + ValueTotLost \quad (4)$$

⁴ Average across the low and high season

where c_i is the same damage coefficient as in the producers' survey. \bar{P}_{ideal} and \bar{P}_{Ci} are the average sale price for an ideal product and sale price for a product in category i at the middlemen level. QC_{iSale} and $QC_{iPurchase}$ are the quantities in each category at purchase and at sale. To get the full quantitative and qualitative loss measure, we add the weight (or value) of the quantity that was totally lost, i.e. disappeared from the value chain. This figure is ideally obtained from the difference between the total purchase and total sales within a given period of time. Practically, middlemen are often unable to indicate these exact quantities, as the purchased crop is mixed with product in storage. We therefore use the information from the direct survey question on the weight and value totally lost at the middleman level, i.e. product that completely disappeared from the value chain.

Attribute method

The 'attribute method' (A-method) is based on the evaluation of a crop according to inferior visual, tactile, and olfactory product characteristics. These attributes are identified prior to the survey implementation and in collaboration with commodity experts, local experts and value chain actors. In addition, an extensive pilot was implemented to validate the attributes⁵. The number of attributes varies between 10 and 14, according to the commodity and country. At the time of the survey, the producer evaluates his or her production and establishes the share of total production that is affected by the attributes, both after harvest and after post-harvest. Middlemen evaluate their product from the previous month at both purchase and sale. The producer and the middlemen declare how much their respective buyers punish them for inferior product attributes by paying a lower price. The price punishment information for each product attribute is used to estimate the value loss. At the producer level, the quantitative and qualitative loss in weight and in value are given by eq. 5 and 6, respectively:

$$ValueLoss_p = \sum_{j=1}^J \bar{P}a_j * Q_{PH} + (V_{Prod} - V_{PH}) \quad (5)$$

⁵ Is important to mention that in certain countries the attributes are defined as legal standards for the specific commodity.

$$WeightLoss_p = \sum_{j=1}^J a_j * Q_{PH} + (Q_{Prod} - Q_{PH}) \quad (6)$$

where a_j is the share of product affected by attribute j , and \overline{Pa}_j is the average price punishment for an inferior product attribute at sale. As before, Q_{PH} and V_{PH} are respectively the quantity and value of all produce after post-harvest, while Q_{Prod} and V_{Prod} are the quantity and value of all produce after production. While the first terms of equations 5 and 6 provide us with the quantity affected by a loss (qualitative loss), the second terms provide us with the total quantity or value lost (quantitative loss) between production and post-harvest activities.

At the middleman level, the quantitative and qualitative loss in weight and in value are given by eq. 7 and 8, respectively:

$$WeightLoss_M = \sum_{j=1}^J (Q_{Sale,aj} - Q_{Purchase,aj}) + WeightLost \quad (7)$$

$$ValueLoss_M = \sum_{j=1}^J (V_{Sale,aj} - V_{Purchase,aj}) + ValueTotLost \quad (8)$$

where $Q_{Sale,aj}$ and $Q_{Purchase,aj}$ are the quantities sold and purchased with a certain damage attribute. $V_{Sale,aj}$ and $V_{Purchase,aj}$ are the values at sales and purchase that are lost due to a damage attribute; they are obtained by multiplying the previous quantities by the average price punishment. The weight (or value) of the quantity that was totally lost, i.e. disappeared from the value chain, provides us with the full quantitative and qualitative loss measure.

Price method

The ‘price method’ (P-method) is based on the reasoning that higher (lower) values of a commodity reflect higher (lower) quality. A decrease in price, all else equal, is thus a proxy for a deterioration in quality. Data regarding producers’ and middlemen’s ideal sale value are used and compared to the value of their actual production, purchase, and sales. The following equations provide us with the total loss at the producer level:

$$ValueLoss_p = V_{ideal} - V_{PH} \quad (9)$$

where V_{ideal} is obtained by the multiplying the farmers' production by the average ideal sales' price; V_{PH} is the total value of the farmers' production after post-harvest, as assessed by the farmer himself. The value loss can be translated into a weight loss by dividing it by the ideal sales price:

$$WeightLoss_p = \frac{ValueLoss_p}{\bar{P}_{ideal}} \quad (10)$$

For the middlemen, we take the difference between the value (or weight) affected by loss at sales and the value (weight) affected by loss at purchase to estimate the total value (weight) affected by loss at this level of the chain. The value (or weight) affected by the loss at purchase or sale is estimated by taking the difference between the sale (purchase) value of an ideal product and the actual sale (purchase) value. We add the weight (or value) of the quantity that was totally lost, i.e. disappeared from the value chain, to get the full quantitative and qualitative loss measure. This translates in the following two equations:

$$ValueLoss_M = (V_{Sale;ideal} - V_{Sale;actual}) - (V_{Purchase;ideal} - V_{Purchase;actual}) + ValueTotLost \quad (11)$$

$$WeightLoss_M = (Q_{Sale;ideal} - Q_{Sale;actual}) - ((Q_{Purchase;ideal} - Q_{Purchase;actual}) + WeightTotLost) \quad (12)$$

6. DATA

As mentioned in our literature review, there have recently been efforts to use micro data to estimate food loss. These estimations rely on surveys collected among different actors along the food value chain; however, they are based on case studies that are not representative of a country's broader population. Additionally, these studies use different definitions of food loss, which hampers comparisons across different areas and crops. Due to this lack of representativeness, as well as to differences in their methodologies, available micro-based food loss estimates are widely variable and yield inconclusive evidence regarding the extent of food loss.

We have developed detailed surveys across the different components of the food value chain and specific to different commodities. These surveys allow us to quantify the extent of food loss across the value chain using consistent approaches that are comparable across commodities and regions. They also enable us to characterize the nature of food loss, specifically the production stages and the particular processes at which loss is incurred.

Our survey instruments quantify food loss along the value chain before consumption (food waste by consumers is excluded from the calculations). The richness of the data allows us to provide estimates using alternative methodologies. We first calculate aggregate self-reported measures of loss: we ask farmers, middlemen, and processors about the quantities (and the corresponding monetary values) of crops discarded during the processes that they perform (e.g., winnowing, threshing, grading, transporting, packaging, etc.). This methodology is, in general, consistent with the basic elements in the available literature on the measurement of food loss. Our surveys, however, include a more disaggregated description of the stages and processes at which loss occurs. The producer, middlemen, and processor surveys were designed to have different modules to measure loss across the value chain.

The producer survey has three modules. The first module asks about the quantity of the crop left in the field, the total production harvested, and the qualities, attributes, and prices of the harvest. The second module asks about the post-harvest activities conducted by the producers (e.g., winnowing,

threshing, grading, transporting, packaging, etc.); for each of these activities, the producer is asked for the quantity of affected product ⁶ and the quantity totally lost. ⁷ The third module records the destination of the product (i.e for consumption, for sale, for donation, etc.), as well as the attributes and categories for the quantity for sale.

The middlemen survey has three modules. The first module asks about the quantity, quality, and attributes of the total product purchased in a defined time-period (depending on the country). The second module asks middlemen to report the quantity, quality, and other attributes of the total product sold in a defined time-period (depending on the country). The third module asks questions about the post-harvest processing activities conducted by the middlemen (e.g., winnowing, threshing, grading, transporting, packaging, etc.); in each of these activities, the quantity of affected product and the quantity of total loss are reported for each crop.

The processor survey has two modules. The first module asks for the quantity, quality, and attributes of the total product purchased in a specific time-period (depending on the country). The second module asks about the specific steps required to obtain the final product for consumer consumption.

Within each survey, we categorize the crop damage and crop attributes of each crop and country. In order to categorize the damage for each crop, we created a damage coefficient. The damage coefficient is measured by categorizing the total amount of each crop into degrees of quality. In our surveys, each crop has its own damage coefficient, which were made using the international classification in collaboration with local experts. For maize and beans in Honduras and Guatemala, there are five categories, with category 1 classified as having 1-2 percent of damaged grain (grain with no problems), and category 5 classified as having more than 25 percent of damaged grain (grain that is unusable). In Ethiopia the five categories range from category 1 (undamaged grain) to category 5 (more than 80 percent of damaged grain). In Ecuador and Peru, the categories are related to the caliber⁸ of the tuber; crops

⁶ Affected product: Product that lowers quality but can still be used.

⁷ Totally lost: Product that is completely lost and cannot be used

⁸Caliber: Size of internal diameter of the tuber

categorized as caliber 1 have a diameter bigger than 10 cm (Category Extra), while category 5 consists of tubers with a diameter around 6cm, which is used to feed animals.

The attributes section of the survey evaluates the crops according to physical or chemical characteristics to see if they have inferior visual, tactile, and olfactory characteristics. These characteristics are specific to each country and crop. In our surveys, we measure the damage of each crop by texture, size, moisture, and the presence of fungus or insects, etc. These attribute categories were created with the collaboration of local experts.

One drawback to this first aggregate self-reported method is that it is reported by the farmers in a more ‘aggregate way’ through a direct question (see appendix table A1) not allowing to identify where in the value chain the losses occur and not allowing to differentiate what is quantity and what is quality loss. While food is not necessarily discarded completely along different processes, quality downgrades at different stages of the value chain can affect food’s economic value. Our survey instruments improve upon these traditional measures by allowing us to quantify qualitative loss using two alternative methods. First, we estimate the shares of total food production at each stage of the value chain that were damaged and are subject to qualitative loss (based on *damage coefficients*). Second, we collect information about different types of commodity attributes (e.g., size, impurities, discoloration, etc.) and ascertain the price penalty that each of these types of crop damage entails (i.e., *attribute penalties*). We are thus able to identify specific factors that diminish commodities’ values and to quantify food quality losses based on market conditions.

Value chains and descriptive statistics

In order to meet the objectives of this project, the sample must be large enough to provide reliable estimates for most of the indicators at the producer, middleman, or processor level.

For all countries, we chose our sample based on a pre-census of the producers of the specific crop of interest. This is our baseline. Selected producers must have produced crops in the last season.

Potatoes are essential to the Ecuadorian diet, with each person consuming around 30 kg per year (MAGAP,2014). The crop occupies the tenth place among the most consumed products by the Ecuadorian population and is one of the top eight most produced crops. Ecuador produces 397,521 tons of potatoes annually, with the province of Carchi producing 36.48 percent of the national volume (ESPAC, 2015).

Our surveys in Ecuador were organized between June and October 2016 for each segment of the potato value chain. All producers in the survey came from the province of El Carchi, while the middlemen were from the provinces of El Carchi, Imbabura, and Pichincha and the processors were from the province of Pichincha.

Potatoes have also been essential to the diet of Peruvians for millennia. Peru's annual consumption of potatoes is around 89 kg per person (MINAGRI, 2016). The crop occupies second place for the most cultivated crop area in Peru, with 318,380 hectares planted to potato and 4,704,987 metric tons of potatoes produced in 2014 (FAOSTAT). The two principal providers of potatoes to the Lima market are the departments of Junín and Ayacucho, which provide around 60 percent of the potatoes that go to the wholesale market (EMMSA).

Our surveys in Peru were organized between September and December 2016 for each segment of the potato value chain. The producers in the survey were from the departments of Junín and Ayacucho, while the middlemen and processors were from the department of Lima.

For the Central American region, maize and bean crops are staples for a variety of reasons. These crops form the fundamental basis of food security for much of the population, and they contribute to household and national economies through employment generation and income generation.

In Honduras, maize is one of the most important basic grains, but the domestic maize supply only covers 42 percent of the country's demand (SAG/UPEG, 2015). The annual consumption of maize in Honduras in 2013 was around 77.96 kg per person, while the production of maize in 2014 was 609,312 metric tons over an area of 263,343 hectares (FAOSTAT). The three principal production departments of white maize in Honduras are Olancho, El Paraíso, and Comayagua.

Beans are the second most important basic grain in Honduras, both in area planted and in production for consumption. In 2014, the annual consumption of beans in Honduras was 12.05 kg per person, and an average of 132,659 hectares were planted with beans. Bean production in 2014 was 105,812 metric tons (FAOSTAT). The three principal production departments for beans in Honduras are Olancho, El Paraíso, and Yoro.

Our surveys for Honduras were organized between July and September 2016 for each segment of the maize and bean value chains. The producers, middlemen, and processors in the survey were from the departments of Choluteca, Copan, El Paraiso, Francisco Morazan, Intibuca, La Paz, Lempira, Ocotepeque, Olancho, Santa Barbara, and Valle.

In Guatemala, maize is the most widely cultivated crop and is one of the most valuable and rooted symbols of Guatemalan culture. In 2014, the area cultivated to maize was 871,593 hectares, with a production of 1,847,214 metric tons. Per capita consumption for 2013 was around 87.25 kg per person per year (FAOSTAT). The three principal production departments of white maize in Guatemala are Peten (18.5 percent), Alta Verapaz (9.4 percent), and Jutiapa (7.3 percent) (MAGA, 2016).

Beans are the second most important basic grain in Guatemala, both in area planted and in production for consumption. In 2014, the consumption of beans in Guatemala was 12.12 kg per person per year; area planted to beans covered an average of 250,414 hectares, with production at 235,029 metric tons (FAOSTAT). The three principal production departments for beans in Guatemala are Peten (27 percent), Jutiapa (13 percent), and Chiquimula (10 percent) (MAGA, 2016).

Our surveys in Guatemala were organized between September and December 2016 for each segment of the maize and bean value chains. The producers, middlemen, and processors were from the departments of Chimaltenango, Escuintla, Guatemala, Quetzaltenango, Sacatepequez, San Marcos, Solola, and Totonicapan.

Teff constitutes a major crop in Ethiopia, in terms of both production and consumption. Teff is the dominant cereal crop for total area planted (3,760,000 hectares in 2012/2013; FAS, 2014) and second in production and consumption, with 3,769,000 metric tons (Berhane, Paulos, Tafere and Tamru, 2011;

Ethiopian Agricultural Transformation Agency [EATA], 2013). According to Berhane, et al. (2011), based on national data from the Household Income, Consumption and Expenditure Survey (HICES, 2011), in 2001-2007, urban consumption of teff per capita was as high as 61 kg per year, while rural consumption was 20 kg per capita per year. Teff is grown mainly in Amhara and Oromiya, which together accounted for 84 and 86 percent of the total cultivated area and production in 2011.

Our surveys in Ethiopia were organized between August and October 2016 for the producer chain only, from the zones of Oromia and Amhara given that in the case of this commodity there are no important intermediaries and processors.

We adapted our instrument for the specifications of each crop and country. For example, in Ecuador and Peru, we work with potato value chains; in these cases, the instrument has six different categories and nine different attributes. In Guatemala and Honduras, where we work with the maize and bean value chains, the instrument has five different categories and 12 different attributes. Finally, in Ethiopia, we work with the teff value chain, in which the instrument has five different categories and 12 different attributes.

The formula used for calculating the representative random sample for all the countries is:

$$n = \frac{N \cdot Z^2 \cdot p \cdot (1-p)}{(N-1) \cdot e^2 + Z^2 \cdot p \cdot (1-p)} \quad (13)$$

Where n = the sample size required and which is statistically representative

N = the target population size

e = tolerated margin of error (for example we want to know the real proportion within 5%)

Z = level of confidence according to the standard normal distribution (for a level of confidence of 95%, z = 1.96, for a level of confidence of 99%, z = 2.575)

p = estimated proportion of the population that presents the characteristic (when unknown we use p = 0.5)

In a stratified random set-up, we sampled a moderate number of actors per segment in each country. At the end, the sample consisted of:

Table 1: Sample size

	Ecuador	Peru	Honduras	Guatemala	Ethiopia
Producer	302	411	1209	1155	1203
Middlemen	182	85	325	365	---
Processor	147	139	224	245	---
Total	631	594	1758	1765	1203

Specifically, in the case of Teff in Ethiopia we only survey producers because most of the producers will bring their teff to millers that mostly work on a fee-for-service basis, returning milled teff flour to the producers without any major intermediation of middlemen.

Tables 2-4 provide descriptive statistics of the sample of each different crop in each country for producers, middlemen, and processors, respectively.

In Table 2, we can see that for all countries, the majority of producers are male and have reached at least a primary level of education. Teff producers from Ethiopia are the youngest on average, while Guatemalan maize producers are the oldest and have the most years of experience working with their crop. More than 65 percent of producers from Peru, Ecuador, and Ethiopia used improved seeds in the last crop season (for potato and Teff, respectively); less than 20 percent of maize and beans producers from Guatemala and Honduras used improved seed. Potatoes in Peru and Ecuador were stored for shorter periods of time compared to the storage of grains in all the other countries.

In Table 3, we can see that for all countries, around 60 percent of middlemen are male, with an average age between 40 and 50 years. The average number of years that middlemen have been in business is higher for middlemen buying and selling potatoes in Ecuador and Peru than for middlemen buying and selling maize and beans in Guatemala and Honduras.

Across all countries, middlemen purchased more commodities from producers than from other middlemen. This could be due to the fact that prices from producers may be cheaper and producers may be more likely to seek out middlemen in the big cities.

In Table 4, we can see that the majority of processors in Peru and Ecuador are male, and the main products traded are French fries. In Honduras and Guatemala, the majority of processors are female, and the main products traded are maize tortillas and packaged beans. For all countries, the average age of processors is 40 years.

In Peru and Ecuador, all of the potato processors' businesses are formal (legal), but for maize and bean processors from Guatemala and Honduras, somewhat less than 40 and 60 percent, respectively, are informal.

All countries, with the exception of Honduras, saw processors who purchased more from other middlemen than from producers.

Table 2: Producer characteristics

Variable name	Ecuador: potato (N = 302)		Peru: potato (N = 411)		Guatemala: beans (N = 450)		Guatemala: maize (N = 922)		Honduras: beans (N = 685)		Honduras: maize (N = 1024)		Ethiopia: teff (N = 1203)			
	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev		
Gender (male)	92.72%	0.26	80.05%	0.40	87.56%	0.33	87.31%	0.33	95.04%	0.22	95.02%	0.22	94.18%	0.23		
Age (years)	50.15	13.97	44.36	14.02	48.75	15.03	50.23	15.01	47.78	14.47	48.52	15.07	44.21	11.43		
Socio-economic characteristics	no education	2.65%	0.16	3.41%	0.18	29.11%	0.45	30.91%	0.46	17.23%	0.38	19.14%	0.39	36.99%		
	primary	73.18%	0.44	37.47%	0.48	64.89%	0.48	58.79%	0.49	79.56%	0.40	77.64%	0.42	39.32%		
	secondary	11.92%	0.32	48.42%	0.50	3.78%	0.19	4.23%	0.20	2.34%	0.15	2.34%	0.15	20.20%		
	>secondary	12.25%	0.33	10.71%	0.31	2.22%	0.15	6.07%	0.24	0.88%	0.09	0.88%	0.09	0.25%		
Household size	4.00	1.61	3.70	1.46	6.11	2.62	5.84	2.77	5.03	2.12	5.08	2.38	6.11	2.12		
Main income from agriculture (dummy)	56.95%	0.50	94.16%	0.23	na	na	na	na	na	na	na	na	na	na		
Experience in cultivating crop (years)	24.06	13.80	16.95	12.87	22.53	15.17	25.29	16.23	26.37	15.16	27.03	16.21	22.09	10.99		
Market access	Cost to reach market (USD/ Kg)	2.49	2.79	0.05	0.04	1.38	1.11	1.00	0.91	0.02	0.03	0.02	0.03	na		
Time to reach market (hours)	0.81	0.31	0.96	0.61	1.38	1.11	1.00	0.90	3.28	3.34	3.59	3.78	4.05	2.88		
Production	Quantity produced last harvest (Kg)	108,030	232,696	70,310	301,281	319	562	2,251	3,918	1,384	2,577	4,953	31,696	1,479	1,405	
	Area cultivated (in hectares)	3.48	5.91	2.82	7.78	0.35	0.76	2.09	47.59	1.09	1.47	1.45	3.14	1.23	1.13	
	Improved seeds (dummy)	15.56%	0.36	43.55%	0.50	3.78%	0.19	17.68%	0.38	8.91%	0.29	19.43%	0.40	73.90%	0.44	
	Resistant variety (dummy)	29.14%	0.46	48.91%	0.50	na	na	na	na	na	na	na	na	13.05%	0.34	
	Time of planting: primera vs postrera	na	na	na	na	74.89%	0.43	95.77%	0.20	33.43%	0.47	69.34%	0.46	na	na	
	Number of different inputs applied ^a	3.03	0.30	3.06	0.25	1.72	1.05	2.03	1.06	2.72	1.20	2.94	0.91	2.82	0.86	
	Number of different field maintenance activities ^b	0.77	0.77	1.31	0.74	0.04	0.20	0.06	0.24	0.10	0.30	0.10	0.31	na	na	
	Number of mechanic production activities ^c	0.79	0.53	1.25	1.15	0.05	0.39	0.20	0.75	0.32	0.78	0.41	1.06	0.06	0.24	
	Harvest technique	azadon'			91.48%	0.28										
		tractor lampa'	no variation		5.35%	0.23					no variation					
Hired labor (dummy)	94.37%	0.23	88.32%	0.32	37.11%	0.48	70.39%	0.46	93.87%	0.24	94.92%	0.22	56.86%	0.50		
Post-harvest ^f	Nb of post-harvest activities ^d	2.36	0.78	1.56	1.39	3.88	0.66	3.60	0.90	3.69	0.83	3.58	0.92	8.84	0.40	
	Mechanical drying and winnowing			na	na	1.78%	0.13	4.88%	0.22	3.65%	0.19	5.27%	0.22	na		
	Mechanical threshing activity			na	na	na	na	na	na	6.19%	0.24	16.87%	0.37	na		
	Mechanical transport	25.50%	0.44	54.26%	0.50	15.56%	0.36	27.87%	0.45	22.53%	0.42	25.20%	0.43	0.00%		
	Storage (dummy)	6.62%	0.25	27.01%	0.44	98.89%	0.10	98.59%	0.12	89.34%	0.31	91.60%	0.28	98.25%	0.13	
	Storage time (in months)	15.05	16.38	26.49	41.68	187.33	104.89	215.80	91.36	146.10	85.05	150.72	76.16	115.96	68.60	
	Storage location	Silo	0.00%	0.00%	0.00%	0.00%	3.15%	0.17	1.87%	0.14	9.97%	0.30	52.77%	0.50	0.25%	0.05
		Granary	30.00%	0.47	40.54%	0.49	1.35%	0.12	9.13%	0.29	4.25%	0.20	4.58%	0.21	21.07%	0.41
		House (bag)	70.00%	0.47	59.46%	0.49	95.51%	0.21	89.00%	0.31	85.46%	0.35	42.64%	0.49	61.59%	0.49
		Trad Pit Trad dibignet					na	na	na	na	na	na	na	na	5.84%	0.23
Number of storage conservation activities ^e	0.55	0.60	0.77	0.70	0.41	0.57	0.47	0.51	0.68	0.47	0.78	0.43	1.65	0.69		
Sales	Percentage sold (versus own consumption, barter, animals or seeds)	81.04%	0.17	84.23%	0.16	31.45%	0.25	21.40%	0.22	39.71%	0.32	25.57%	0.27	36.09%	0.25	
	Sale location ^g	house or plot	16.56%	0.37	45.74%	0.50	63.33%	0.48	72.34%	0.45	86.05%	0.35	88.51%	0.32	3.85%	0.19
		nearest town	74.50%	0.44	27.74%	0.45	6.00%	0.24	22.99%	0.42	2.13%	0.14	1.99%	0.14	50.89%	0.50
		village market	9.27%	0.29	34.06%	0.47	25.78%	0.44	6.62%	0.25	12.21%	0.33	8.09%	0.27	48.17%	0.50
	Type of buyer the farmers sells to ^h	middlemen	68.87%	0.46	61.56%	0.49	4.89%	0.22	6.29%	0.24	54.84%	0.50	29.07%	0.45	61.13%	0.49
		wholesaler	30.46%	0.46	45.01%	0.50	21.11%	0.41	14.53%	0.35	17.25%	0.38	11.61%	0.32	19.15%	0.39
		processor	0.99%	0.10	1.46%	0.12	0.89%	0.09	3.36%	0.18	0.00%	0.00	2.81%	0.17	0.75%	0.09
consumer	1.32%	0.11	8.03%	0.27	65.56%	0.48	76.14%	0.43	30.62%	0.46	59.44%	0.49	21.31%	0.41		
Number of transactions to sell last harvest	1.52	1.94	3.02	4.34	1.97	3.30	2.03	6.56	1.26	1.28	1.39	3.49	2.15	1.63		

Note: ^a This includes fertilizers, insecticides, herbicides and fungicides; ^b This includes activities such as irrigation, trimming, pruning; ^c Machine driven, instead of manual, include activities such as soil preparation, sowing, pest control, fertilizer application, weeding, 'aporque', 'corte del yuyo', harvest; ^d This includes activities such as selection, classification, drying etc; ^e This includes activities such as chemical fumigation, natural fumigation and ventilation; ^f storage summary statistics are obtained from the restricted sample of farmers storing the grains; ^g These variables are not mutually exclusive, as farmers can have more than one sales' location and type of buyer. The official exchange rate in the year of the survey are 0.04492 USD/ Birr; 0.1305 USD/ Quetzal; 0.0411 USD/ Lempiras; 0.297 USD/ Soles (www.oanda.com)

Table 3: Middleman characteristics

Variable name	Ecuador: potato (N = 182)		Peru: potato (N = 85)		Guatemala: beans (N = 169)		Guatemala: maize (N = 156)		Honduras: beans (N = 248)		Honduras: maize (N = 129)		
	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	
Gender (male)	56.59%	0.50	57.65%	0.50	55.62%	0.50	69.23%	0.46	56.45%	0.50	60.47%	0.49	
Age (years)	48.85	11.19	45.66	10.33	42.04	13.34	45.38	14.41	44.34	13.41	46.30	13.23	
Experience in business	17.91	11.64	18.26	11.09	10.15	9.05	7.94	9.43	12.27	11.84	9.20	9.70	
Formal business (dummy)	67.03%	0.47	94.12%	0.24	39.64%	0.49	46.79%	0.50	85.89%	0.35	86.82%	0.34	
Type of business	intermediary	56.59%	0.50	0.00%	0.00	4.14%	0.20	3.21%	0.18	7.26%	0.26	13.95%	0.35
	wholesaler	30.77%	0.46	97.65%	0.15	95.86%	0.20	96.79%	0.18	92.74%	0.26	86.05%	0.35
	retailer	12.64%	0.33	2.35%	0.15								
Quantity purchased last month (Kg)	99,115	140,230	376,802	556,866	426	1,326	2,786	5,132	1,121	2,854	7,291	22,222	
Value purchased last month (USD)	32,591	47,920	90,913	141,524	540	1,574	1,122	3,039	1,001	2,460	4,622	21,006	
Average quantity purchased per day (Kg)	5,912	7,636	15,994	25,721	17	50	135	333	117	503	361	991	
Average value purchased per day (USD)	1,982	2,659	3,855	6,195	18	53	36	77	49	166	120	291	
Quantity purchased from different sellers (Kg)	producers	107,692	144,592	358,035	563,407	5.08	6.67	12.93	50.67	45.11	109.16	38.37	155.76
	middlemen	41,382	45,938	18,766	75,283	10.27	31.97	48.38	105.82	17.05	27.39	122.05	434.82
Quantity sold last month (Kg)	97,026	139,241	369,566	557,924	297	833	1,962	3,493	953	2,824	5,851	21,026	
Value sold last month (USD)	32,591	47,920	90,913	141,524	540	1,574	1,122	3,039	1,001	2,460	4,622	21,006	
Average quantity sold per day (Kg)	4,673	5,852	14,324	19,900	44	302	75	146	432	3,829	221	700	
Average value sold per day (USD)	1,708	2,238	4,205	8,082	23	59	27	53	57	170	91	242	
Price paid for 1 Kg of best quality product (USD)	abundance	12.66	4.17	0.19	0.09	49.75	8.70	15.69	3.02	36.20	10.37	14.32	4.65
	scarcity	20.68	4.20	0.52	0.18	67.71	13.27	21.70	23.81	63.47	19.37	21.85	3.85
Price received for 1 Kg of best quality product (USD)	abundance	13.63	4.61	0.20	0.08	62.34	10.24	16.35	3.33	41.64	9.90	14.34	4.84
	scarcity	22.12	4.08	0.53	0.20	73.42	20.94	19.89	4.54	63.17	23.05	21.18	5.23
Number of different buyers last month		74	151	154	265	31	35	26	64	4	10	2	9
	wholesaler / intermediary	38.46%	0.49	30.59%	0.46	1.78%	0.13	8.97%	0.29	4.03%	0.20	8.53%	0.28
	retailer	78.57%	0.41	90.59%	0.29	0.59%	0.08	3.85%	0.19	2.42%	0.15	4.65%	0.21
Type of buyers sold to	transformer	43.96%	0.50	16.47%	0.37	3.55%	0.19	14.10%	0.35	2.82%	0.17	6.98%	0.26
	end consumer	56.04%	0.50	28.24%	0.45	94.67%	0.23	94.23%	0.23	95.56%	0.21	89.92%	0.30
	drying	3.30%	0.18	0.00%	0.00	0.00%	0.00	4.49%	0.21	3.23%	0.18	3.88%	0.19
Type of transformation activities	selection	41.76%	0.49	41.18%	0.50	33.73%	0.47	25.00%	0.43	24.19%	0.43	22.48%	0.42
	storage	43.41%	0.50	23.53%	0.43	86.98%	0.34	72.44%	0.45	39.11%	0.49	46.51%	0.50
	transport	47.25%	0.50	4.71%	0.21	6.51%	0.25	19.87%	0.40	7.66%	0.27	17.83%	0.38

Note: The official exchange rate in the year of the survey are 0.04492 USD/ Birr; 0.1305 USD/ Quetzal; 0.0411 USD/ Lempiras; 0.297 USD/ Soles (www.oanda.com)

Table 4: Processor characteristics

Variable name	Ecuador: potato (N = 182)		Peru: potato (N = 153)		Guatemala: beans (N = 120)		Guatemala: maize (N = 104)		Honduras: beans (N = 121)		Honduras: maize (N = 124)		
	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	mean	std dev	
Gender (male)	53.06%	0.50	80.39%	0.40	19.17%	0.40	12.50%	0.33	15.70%	0.37	8.87%	0.29	
Age (years)	43.93	13.15	42.16	10.14	41.55	11.82	38.94	11.74	44.17	12.83	46.36	13.53	
Experience in business	10.15	13.37	10.41	10.80	13.13	9.13	6.88	8.45	11.88	12.99	15.40	11.12	
Formal business (dummy)	100.00%	0.00	100.00%	0.00	45.00%	0.50	39.42%	0.49	62.81%	0.49	22.58%	0.42	
Quantity purchased last month (Kg)	1,871	2,458	2,987	4,867	232	729	925	446	122	294	4,695	24,584	
Value purchased last month (USD)	852	1,209	5,259	7,035	244	697	371	175	100	241	1,351	6,503	
Average quantity purchased per day (Kg)	126.48	227.71	130.34	470.04	7.43	22.11	166.39	627.90	16.33	58.71	201.65	859.42	
Average value purchased per day (USD)	72.00	226.59	247.42	1078.29	8.19	22.68	12.11	6.16	7.27	17.85	45.36	215.22	
Number of different sellers last month	1.76	1.37	1.81	2.09	1.27	0.69	1.57	1.63	2.69	14.22	1.67	3.40	
Price paid for 1 Kg of best quality product (USD)	abundance	17.70	4.55	1.58	0.50	54.54	11.57	16.85	3.16	36.88	7.25	15.08	5.25
	scarcity	23.82	5.42	2.93	7.93	72.16	13.43	22.06	4.92	74.91	56.86	23.73	7.00
Number of sub-product transformations	1.08	0.28	1.01	0.08	1.01	0.09	1.08	0.27	1.35	0.48	1.23	0.43	

Note: The official exchange rate in the year of the survey are 0.04492 USD/ Birr; 0.1305 USD/ Quetzal; 0.0411 USD/ Lempiras; 0.297 USD/ Soles (www.oanda.com)

7. RESULTS

As shown in Table 5, we estimate loss levels at the producer, middlemen, and processor levels separately, and alternatively apply the four estimation methodologies, i.e. subjective (S), category (C), attributes (A) and price method (P). We use the loss figures estimated with the attribute method (A-measure) as our dependent variable and add up losses at each level to obtain loss figures for the entire value chain⁹. Some observations are lost due to missing values and outliers¹⁰. Loss figures include both the quantitative loss, i.e. the product entirely disappeared from the value chain, and the qualitative loss, i.e. the product affected by quality deteriorations. Losses are alternatively expressed in weight and values, with the latter providing information regarding the economic damage caused by the loss. Appendix A presents a detailed decomposition of all the methods by commodity and country at producer level.

Loss figures across all value chains fluctuate between 6 and 25 percent of total production and of the total produced value. Loss figures are consistently largest at the producer level and smallest at the middleman level. Across the different estimation methodologies, loss at the producer level represents between 60 and 80 percent of the total value chain loss, while the average loss at the middleman and processor levels lies around 7 and 19 percent, respectively. It is important to mention that these losses don't include the yield gaps which could vary between 50-80%. These yield gaps represent the distance to the production possibility frontier is defined as the distance of the sale quantities or prices and the frontier (see Delgado et.al 2017 for further details).

Differences across methodologies are salient, especially at the producer level. While the estimation results from the C-, A-, and P-methods are close and differences are mostly not statistically significant, the aggregate self-reported method reports systematically lower loss figures. As shown in Table 5, these gaps are largest in the beans value chain in Honduras and potato value chain in Peru, where self-reported loss estimates are between 10 and 15 percentage points lower than those

⁹ For the middlemen and processors, we assume that the percentage lost on their purchase in the month prior to the survey corresponds to the average middleman and processor loss in the value chain

¹⁰ We use a “winsorizing” technique, replacing extreme outliers beyond the 99th percentile with missing values under the assumption that all extreme values are due to measurement error

estimated with any of the other methods. Differences across methods are smallest in the Ethiopian teff value chain, but estimates from the C-, A-, and P-methods remain significantly larger than those estimated with the S-method.

Percentage losses expressed in value tend to be slightly smaller than those expressed in weight for the S-method; however, this difference is found particularly in the A-method, indicating that some quality degradations at the farm-level do not seem to be punished by the market. The category-method leads to results which are more similar in terms of weight and value loss.

Tables A2 – A8 in the Appendix split loss figures at the producer level into quantities left in the field, (i.e. good quality product which is not harvested), quantities affected by quality deterioration previous to harvest, and quantities totally lost or affected by quality deteriorations during post-harvest activities on the farm. The latter can include cleaning, winnowing, threshing, drying, storage, transport activities, etc., depending on the value chain and country. The quantities left in the field are fairly small, at around 1 percent of total production, or are even neglectable in the case of teff. The percentage value of the unharvested product in terms of the total produced value is even smaller, indicating that the product left in the field tends to be of lower quality than the harvested product. Overall, the quantity affected by loss at pre-harvest is considerably larger than the quantities totally lost or affected by a loss during post-harvest activities. This indicates that the largest losses occur in the field or during harvest activities.

With the exception of the bean value chain in Honduras, loss figures across methodologies are similar and not statistically different for middlemen. At the wholesale level, losses fluctuate between 2 and 3 percent.

Causes behind the loss

Figure 4 (a-g) presents the major reasons reported by farmers as the explanation for their pre-harvest loss, their crop left in the field, and their post-harvest loss. In the specific case of pre-harvest loss, the major reasons reported by farmers included pests and diseases and lack of rainfall; teff was the exception, with lack of rainfall being the major reported reason for pre-harvest loss. When looking at the produce left in the field, the major reason for the loss is a lack of appropriate harvesting

techniques. Finally, the loss reported at the post-harvest level is due mostly to damage done during selection, as a result of workers' lack of training and experience in selecting the produce.

Tables 6-9 try to control for the heterogeneity among farmer characteristics through regression analysis. The results show that education and experience tend to be correlated with a reduction in losses. In particular, results on education are significant for the potato value chain in Ecuador and Peru and the maize value chain in Honduras. The number of years in which a producer has been involved in the production of a specific crop significantly correlates with a reduction in losses in the potato value chain in Ecuador and Peru, the maize value chain in Guatemala, and the teff value chain in Ethiopia. While we only have farmers' income data for Peru and Ecuador, we find that when a producer's main income stems from an agricultural activity it is correlated with a statistically significant lower loss; this result is in line with the effects we find for crop cultivation experience.

The large majority of farmers are men, but there is no clear gender pattern in food loss across countries. For example, being a male farmer tends to be correlated with a decrease in beans loss, but it increases maize loss in Guatemala. No gender effect is detected in the other commodity chains.

Costs to reach markets significantly correlated with increases in losses in Peru, Guatemala, and Ethiopia, indicating that the absence of markets can represent important limitations for farmers. This is directly linked to previous work which shows the importance of access to better roads to reduce food loss across the value chain (see for example Rosegrant et al 2015).

Technology and improved seeds also matter. The more resistant pests and weather 'unica' potato variety reduce loss in Ecuador compared to the 'capiro' and 'superchola' varieties. Similarly, the use of improved seeds is correlated with a decrease in losses in the maize and bean value chains in Honduras. In potato value chains, the harvesting tool used considerably impacts loss; traditional hoes break the potato during the harvest. In Peru, new (mechanized) tools are used to reduce this damage. Both the tractor and the 'lampa' are correlated with a significant reduction of the share of potato that is lost during harvest. The potato value chain in Ecuador, on the other hand, is more traditional, with very few mechanical tools used. In Ecuador, no alternative tools to the hoe were mentioned by the surveyed farmers. In Ecuador, an increased number of activities to 'take care of the crop' (such as

irrigation and plant trimming) and a larger labor force are shown to reduce the likelihood of loss in this more traditional potato value chain.

In the maize, bean, and teff value chains under analysis, production activities are shown to have little impact on food loss. The exception is the bean value chain in Guatemala, where mechanical production activities are shown to be positively correlated with an increase loss; mechanical harvesting techniques likely damage the crop and/or leave crops in the field (especially if the machines are of poor quality).

When analyzing how the type and number of post-harvest activities carried out by the farmers affect loss, we found that both the overall number of post-harvest activities and the increased mechanization in some commodity chains can have opposite effects. The total number of post-harvest activities, including activities such as winnowing, threshing, drying, putting in bags, transporting, etc., decrease loss in the Guatemalan bean value chain but increases loss in the Guatemalan maize value chain and the Ethiopian teff value chain. In both latter cases, the increased loss mainly originates from post-harvest winnowing and packaging activities.

Mechanical post-harvest activities are not very widespread, with mechanical drying, winnowing, and threshing activities only being observed in the maize and bean value chains in Honduras and Guatemala. Post-harvest mechanization has no effect in the maize value chains in either Honduras or Guatemala. In the bean value chain, on the other hand, increased mechanization in the drying and winnowing activities reduces loss in Guatemala, but mechanical threshing increases loss in Honduras. Farmers likely incur grain damage, cracks and lesions when mechanically (instead of manually) stripping the grain from the plant; this makes the grain more vulnerable to insects, as well as less visually appealing. Only a very few farmers (6 percent of our sample) engage in mechanical threshing in Honduras (and no producers do so in Guatemala). Mechanical transport with a car significantly increases loss in Guatemala and Ecuador, pointing to important losses during transport, especially if larger distances are traveled.

Potato farmers in Peru and Ecuador rarely store their product, but the opposite is true for the other commodity chains. Storage significantly increases loss in the bean value chains in Honduras and Guatemala, as well as in the maize value chain in Honduras. For beans in Honduras, storage duration

is significantly correlated with increases in losses. These storage losses are shown to be mitigated by improved storage techniques (silos) in both Honduras and Guatemala or the use of ‘pits’ rather than other traditional storage facilities in Ethiopia (no modern storage techniques are used for teff in Ethiopia). Storage conservation activities, such as chemical or natural fumigation and/ or increased ventilation, are correlated with a decrease of storage losses in Honduras.

Finally, unfavorable climatic conditions and pest and diseases are mentioned most often as problems faced by farmers during production. Farmers most often mentioned limited knowledge and access to equipment, credit, and markets as a challenge to increased production of higher quality products. All of these factors are also shown to affect food losses.

8. CONCLUSIONS

Improving the methodology used to measure food loss across food value chains, as well as identifying the causes and costs of loss across value chains, is critical to promoting food loss reduction interventions and setting priorities for action.

We address the existing measurement gap by developing and testing three new methodologies that aim to reduce measurement error and that allow us to assess the magnitude of food loss. The methods account for loss from pre-harvest to product distribution and include both quantity loss and quality deterioration. We apply the instrument to producers, middlemen, and processors in seven staple food value chains in five developing countries. Comparative results suggest that losses are highest at the producer level and that most product deterioration occurs prior to harvest. Self-reported measures, which have been frequently used in the literature, seem to consistently underestimate food loss. Loss figures across all value chains fluctuate between 6 and 25 percent of total production and of the total produced value. Loss figures are consistently largest at the producer level and smallest at the middleman level. Across the different estimation methodologies, losses at the producer level represent between 60 and 80 percent of the total value chain losses, while the average loss at the middleman and processor levels lies around 7 and 19 percent, respectively.

Differences across methodologies are salient, especially at the producer level. While the estimation results from the three new methods we implement are close and the differences are mostly not statistically significant, the aggregate self-reported method reports systematically lower loss figures. In addition, our figures are larger than those recently obtained by Kaminski and Christiansen (2014) and Minten et al. (2016a and b). These differences are due to the inclusion of qualitative loss (not previously considered) and to the fact that we also include quality and quantity effects.

Addressing food loss across the value chain first requires a common understanding of the concept by all actors,¹¹ as well as a collaborative effort to collect better micro-data across different commodities and contexts. The presence of pests, lack of rainfall, and lack of appropriate post-harvest

¹¹ A good step in this direction has been made by the multi-stakeholder “Food Loss and Waste Standard and Protocol” initiative, although this initiative does exclude pre-harvest loss from its definition.

technologies seem to be the major factors behind the losses identified in our study. A lack of appropriate storage facilities (FAO, 2011; Liu, 2014) and efficient transport systems (Rolle, 2006) are also considered to be important micro-causes of food loss; however, other causes, ranging from crop variety choices, pre-harvest pests, and processing and retail decisions, are also important. Micro-causes can be linked to broader meso-causes, overarching different stages of the value chain; for example, the HLPE report (2013) sees credit constraints as one of the main bottlenecks to the successful adoption of technologies to reduce food loss and waste. Like Kaminski and Christiaensen (2014), we also identify a lack of education as an important bottleneck.

Finally, policymakers and value chain actors need to translate these insights into action. International organizations have the power to bring the important topic of food loss to the table and create platforms for information exchange; at the same time, individual states play a key role in creating a successful enabling environment. All public and private value chain actors need to work together to transform theory into concrete PWLF reduction interventions.

Figure 4: Self-Reported Causes of of Pre-Harvest Losses

Figure 4.a: Potato Ecuador




Figure 4.b: Potato Peru




Figure 4.c: Beans Guatemala




Figure 4.d: Beans Honduras




Figure 4.e: Maize Guatemala




Figure 4.f: Maize Honduras




Figure 4.g: Teff Ethiopia





Table 5: Quantitative and qualitative food losses along the value chain, estimated with four methodologies

	Ecuador: potato				Peru: potato				Guatemala : beans				Guatemala : maize				Honduras : beans				Honduras : maize				Ethiopia: teff			
	S	C	A	P	S	C	A	P	S	C	A	P	S	C	A	P	S	C	A	P	S	C	A	P	S	C	A	P
<i>Nb of observations</i>	287				355				431				884				650				988				1,186			
Producer																												
Kg lost	1,498	5,926	4,982	4,146	3,548	9,216	11,523	7,998	7.47	16.01	24.79	26.59	55.67	137.74	194.93	191.24	26.47	66.96	114.16	129.69	78.61	186.08	198.19	284.26	27.44	57.02	127.90	47.59
% of total production that is lost	8.11%	12.82%	12.17%	11.84%	9.38%	15.99%	19.62%	19.84%	9.77%	12.80%	19.67%	16.72%	9.84%	14.58%	20.46%	15.27%	6.25%	13.27%	19.77%	17.39%	9.95%	16.69%	15.95%	17.41%	6.88%	8.67%	19.76%	8.69%
Value lost (USD)	269	1,543	1,007	990	454	2,116	2,202	1,805	8.24	26.31	32.64	38.42	18.37	60.20	55.68	82.88	18.56	73.73	90.01	116.53	23.30	65.43	65.19	99.12	40.24	97.98	91.03	73.91
% of value of total production that is lost	6.22%	13.78%	10.03%	11.84%	5.58%	16.73%	16.13%	19.84%	7.72%	12.95%	17.97%	16.72%	7.57%	15.04%	13.42%	15.27%	5.23%	15.34%	17.56%	17.39%	8.87%	16.64%	15.41%	17.41%	6.26%	9.49%	9.02%	8.69%
<i>Nb of observations</i>	176				81				162				150				225				121							
Middlemen																												
Kg lost	952	541	2,893	1,222	2,048	1,392	5,777	5,575	2.44	2.59	2.48	2.28	9.15	8.47	6.90	6.46	12.64	8.63	19.32	19.31	14.04	19.30	23.92	21.07				
% of total purchase that is lost	1.70%	0.91%	1.77%	1.52%	1.22%	1.60%	3.72%	2.05%	0.63%	0.66%	0.58%	0.57%	0.80%	0.54%	0.50%	0.55%	0.74%	0.55%	0.93%	1.57%	0.60%	0.59%	0.29%	0.65%				
Value lost (USD)	232	284	685	518	517	492	1,266	2,704	3.99	3.64	3.69	3.15	3.77	3.20	2.28	2.40	8.75	12.93	20.10	20.86	7.16	5.31	8.27	8.13				
% of value of total purchase that is lost	1.36%	1.65%	1.55%	1.91%	1.34%	1.49%	2.89%	2.83%	0.78%	0.67%	0.67%	0.62%	0.83%	0.50%	0.45%	0.60%	0.45%	1.08%	1.58%	1.83%	0.63%	0.41%	0.31%	0.72%				
<i>Nb of observations</i>	146				152				120				104				121				118							
Processor																												
Kg lost	0.83	0.83 [^]	0.83 [^]	0.83 [^]	59.31	59.31 [^]	59.31 [^]	59.31 [^]	2.44	2.44 [^]	2.44 [^]	2.44 [^]	24.76	24.76 [^]	24.76 [^]	24.76 [^]	2.43	2.43 [^]	2.43 [^]	2.43 [^]	21.40	21.40 [^]	21.40 [^]	21.40 [^]				
% of total purchase that is lost	2.45%	2.45%[^]	2.45%[^]	2.45%[^]	2.27%	2.27%[^]	2.27%[^]	2.27%[^]	2.94%	2.94%[^]	2.94%[^]	2.94%[^]	3.50%	3.50%[^]	3.50%[^]	3.50%[^]	3.67%	3.67%[^]	3.67%[^]	3.67%[^]	3.82%	3.82%[^]	3.82%[^]	3.82%[^]				
Value lost (USD)	14.59	14.59 [^]	14.59 [^]	14.59 [^]	41.22	41.22 [^]	41.22 [^]	41.22 [^]	3.62	3.62 [^]	3.62 [^]	3.62 [^]	9.38	9.38 [^]	9.38 [^]	9.38 [^]	1.09	1.09 [^]	1.09 [^]	1.09 [^]	6.84	6.84 [^]	6.84 [^]	6.84 [^]				
% of value of total purchase that is lost	2.27%	2.27%[^]	2.27%[^]	2.27%[^]	3.31%	3.31%[^]	3.31%[^]	3.31%[^]	3.42%	3.42%[^]	3.42%[^]	3.42%[^]	2.88%	2.88%[^]	2.88%[^]	2.88%[^]	1.96%	1.96%[^]	1.96%[^]	1.96%[^]	3.75%	3.75%[^]	3.75%[^]	3.75%[^]				
Entire value chain																												
% of total production that is lost	11.50%	16.18%	16.39%	15.80%	12.87%	19.86%	25.62%	24.17%	13.34%	16.40%	23.19%	20.23%	13.53%	17.99%	23.84%	18.70%	8.95%	17.49%	24.37%	22.63%	14.37%	21.10%	20.06%	21.88%	6.88%	8.67%	19.76%	8.69%
% of value of total production that is lost	9.86%	17.71%	13.85%	16.02%	10.23%	21.53%	22.32%	25.97%	11.93%	17.05%	22.06%	20.76%	11.88%	19.07%	17.42%	19.32%	7.65%	18.39%	21.11%	21.18%	13.24%	20.81%	19.47%	21.88%	6.26%	9.49%	9.02%	8.69%

Note: S= Self-reported method, C= Category method; A= Attribute method; P= Price method; ^ Data are imputed from the 'Self-reported method'

Quantitative Loss == Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

The official exchange rate in the year of the survey are 0.04492 USD/ Birr; 0.1305 USD/ Quetzal; 0.0411 USD/ Lempiras; 0.297 USD/ Soles (www.oanda.com)

Table 6: Determinants of losses in the potato value chains in Ecuador and Peru (GLM model);*Dependent variable:* share of product lost at pre-harvest and post-harvest (A- measure)

		Ecuador			Peru		
Socio-economic variables	Male producer	0.000 (0.039)	0.002 (0.026)	0.002 (0.023)	0.005 (0.033)	0.011 (0.023)	0.012 (0.025)
	Age of producer (in 10 years)	0.021* (0.012)	0.020 (0.014)	0.019 (0.014)	0.002 (0.025)	0.004 (0.026)	-0.001 (0.027)
	Education: Primary (vs no Education)	-0.102** (0.044)	-0.076* (0.045)	-0.068* (0.042)	-0.032*** (0.007)	-0.007 (0.017)	-0.018 (0.016)
	Education: Secondary or higher (vs no Edu)	-0.057 (0.037)	-0.031 (0.035)	-0.022 (0.046)	-0.061 (0.077)	-0.011 (0.057)	-0.03 (0.045)
	Experience in cultivation of potato (in 10 years)	-0.088*** (0.013)	-0.115*** (0.036)	-0.102*** (0.030)	-0.015 (0.034)	-0.01 (0.032)	-0.006 (0.030)
	Main income from agriculture (vs non-agric)	-0.015*** (0.005)	-0.007* (0.004)	-0.009** (0.004)	-0.089** (0.042)	-0.048 (0.035)	-0.049 (0.037)
	Market	Cost to reach market (USD/ Kg)	-0.004 (0.005)	-0.006 (0.005)	-0.007 (0.005)	1.448** (0.568)	1.150** (0.537)
Production	log(Total production potato)		-0.009 (0.006)	-0.008 (0.006)		-0.021 (0.013)	-0.022* (0.012)
	Improved seeds (dummy)		0.037 (0.065)	0.031 (0.07)		0.008 (0.030)	0.000 (0.025)
	Resistant potato variety		-0.039** (0.018)	-0.038** (0.017)		-0.001 (0.041)	0.004 (0.039)
	Number of different inputs applied ^a		0.007 (0.032)	-0.005 (0.026)		-0.03 (0.070)	-0.01 (0.080)
	Number of different field maintenance activities ^b		-0.010** (0.005)	-0.010* (0.006)		0.003 (0.013)	0.003 (0.014)
	Number of production activities done mechanically ^c		0.014 (0.045)	0.017 (0.038)		-0.029* (0.016)	-0.026** (0.012)
	Harvest technique: tractor vs azadon					-0.165*** (0.017)	-0.166*** (0.018)
	Harvest technique: lampa vs azadon					-0.177*** (0.014)	-0.173*** (0.017)
	Hired labor for harvest		-0.071*** (0.007)	-0.072*** (0.009)		-0.037 (0.026)	-0.012 (0.032)
	Storage dummy		0.019 (0.015)	0.013 (0.015)		-0.002 (0.034)	-0.003 (0.037)
Post-harvest	Nb of post-harvest activities ^d		-0.046 (0.063)	-0.045 (0.050)		-0.002 (0.003)	-0.01 (0.007)
	Mechanical transport (not sold on plot)		0.017** (0.007)	0.023** (0.012)		0.011 (0.042)	0.025 (0.022)
	Climate			0.033** (0.016)			(0.020) (0.026)
Production problems & limitations to produce high quality (as perceived by the producer)	Pests			-0.005 (0.015)			0.063** (0.029)
	Limited knowledge			0.032*** (0.007)			-0.019 (0.026)
	Limited equipment			-0.012 (0.013)			0.118*** (0.036)
	Limited market access			0.035 (0.042)			-0.011 (0.040)
	Limited credit access			-0.019 (0.025)			0.055* (0.032)
Location fixed effects		parroquia	parroquia	parroquia	district	district	district
Agroecological zone dummies		yes	yes	yes	yes	yes	yes
No. of Obs.		287	287	287	369	369	369

Note: Marginal effects from GLM models are reported. Standard errors in parenthesis clustered at the province level for Peru and at the canton level for Ecuador. ^a This includes fertilizers, insecticides, herbicides and fungicides; ^b This includes irrigation, 'aporque' and corte del yuyo; ^c Machine driven, instead of manual, activities include: soil preparation, sowing, pest control, fertilizer application, weeding, 'aporque', 'corte del yuyo', harvest; ^d This refers to selection, classification, drying, and transport after drying

Table 7: Determinants of losses in the bean value chains in Guatemala and Honduras (GLM model)

Dependent variable: share of product lost at pre-harvest and post-harvest (A- measure)

		Honduras				Guatemala			
Socio-economic variables	Male producer	-0.056 (0.045)	-0.061 (0.053)	-0.067 (0.046)	-0.101* (0.054)	-0.063*** (0.023)	-0.069*** (0.021)	-0.055*** (0.021)	-0.065*** (0.023)
	Age of producer (in 10 years)	-0.002 (0.001)	-0.002 (0.001)	-0.001 (0.002)	-0.003 (0.002)	0.001 (0.001)	0.001 (0.001)	0.001* (0.001)	0.001 (0.001)
	Education: Primary (vs no education)	-0.033 (0.029)	-0.035 (0.033)	-0.019 (0.037)	-0.033 (0.025)	0.007 (0.033)	0.006 (0.036)	0.009 (0.031)	0.003 (0.034)
	Education: Secondary or higher (vs no education)	-0.124* (0.064)	-0.107* (0.065)	-0.090* (0.058)	-0.155** (0.076)	0.069 (0.068)	0.072 (0.065)	0.068 (0.059)	0.065 (0.067)
	Experience in cultivation of beans (in 10 years)	0.008 (0.009)	0.011 (0.009)	0.013 (0.010)	0.016 (0.012)	-0.005 (0.007)	-0.003 (0.007)	-0.005 (0.007)	-0.003 (0.007)
Market	Cost to reach market (USD/ Kg)	-1.802 (1.341)	-2.045 (1.511)	-2.189 (1.494)	-1.164 (1.591)	0.023** (0.011)	0.023** (0.012)	0.019* (0.012)	0.024* (0.012)
Production	log(Total production beans)		-0.020** (0.010)	-0.020** (0.009)	-0.021* (0.011)		0.002 (0.015)	0.005 (0.016)	0.012 (0.011)
	Time of planting: primera vs postrera		-0.02 (0.029)	-0.009 (0.028)	-0.042*** (0.015)		0.037 (0.031)	0.04 (0.033)	0.041 (0.029)
	Improved seeds (dummy)		-0.043** (0.020)	-0.058*** (0.020)	-0.021 (0.021)		-0.066 (0.044)	-0.07 (0.051)	-0.056 (0.057)
	Number of different inputs applied ^a		0.002 (0.005)	-0.001 (0.005)	0.009 (0.006)		0.01 (0.010)	0.007 (0.007)	0.005 (0.009)
	Number of different field maintenance activities ^b		0.043 (0.044)	0.049 (0.040)	0.02 (0.059)		0 (0.016)	0.001 (0.012)	0.042 (0.029)
	Number of production activities done mechanically ^c		0.003 (0.017)	0.005 (0.019)	0.005 (0.018)		-0.001 (0.013)	-0.012 (0.011)	0 (0.012)
	Hired labor for harvest		-0.01 (0.047)	-0.029 (0.049)	0.007 (0.043)		-0.001 (0.012)	-0.004 (0.012)	0.004 (0.013)
Post-harvest	Storage dummy		0.095*** (0.033)	0.076*** (0.028)			0.125* (0.065)	0.125*** (0.045)	
	Nb of post-harvest activities ^d		0.019 (0.024)	0.018 (0.020)	0.029 (0.018)		-0.027** (0.012)	-0.027*** (0.012)	-0.028** (0.014)
	Mechanical drying and winnowing		0.018 (0.055)	0.020 (0.050)	-0.006 (0.027)		-0.242*** (0.076)	-0.207*** (0.077)	-0.238*** (0.081)
	Mechanical threshing activity		0.105** (0.041)	0.109*** (0.032)	0.101*** (0.034)				
	Mechanical transport		-0.010 (0.040)	0.000 (0.033)	0.001 (0.034)		0.057** (0.029)	0.052* (0.031)	0.070** (0.030)
Storage	Storage time (in months)				0.012*** (0.004)				-0.004 (0.003)
	Storage: Silo vs Traditional storage in 'troja'				-0.046* (0.025)				0.005 (0.023)
	Storage: Silo vs Traditional storage in house				-0.004 (0.026)				-0.128*** (0.029)
	Number of storage conservation activities ^e				-0.036* (0.020)				-0.01 (0.012)
Production problems & limitations to produce high quality (as perceived by the producer)	Climate				0.057*** (0.020)				0.034 (0.024)
	Animals/ rodents				-0.005 (0.023)				0.050*** (0.015)
	Pests				0.035 (0.024)				0.031 (0.024)
	Diseases				0.028 (0.018)				0.053** (0.024)
	Limited market access				0.125*** (0.041)				0.015 (0.029)
Location fixed effects		municipality municipality municipality municipality				municipality municipality municipality municipality			
Agroecological zone dummies		yes	yes	yes	yes	yes	yes	yes	yes
No. of Obs.		650	644	644	574	431	431	431	426

Note: Marginal effects from GLM models are reported. Standard errors in parenthesis clustered at the department level for Honduras and Guatemala. ^a This includes fertilizers, insecticides, herbicides and fungicides; ^b This includes irrigation and 'chapeo'; ^c Machine driven, instead of manual, production activities include: cleaning, sowing, herbicide application, pest control, fertilizer application, and harvest; ^d This refers to winnowing (sopla), threshing (desgrane), drying, putting in bags, and transport; ^e This includes chemical fumigation, natural fumigation, and ventilation

Table 8: Determinants of losses in the maize value chains in Guatemala and Honduras (GLM model)

Dependent variable: share of product lost at pre-harvest and post-harvest (A- measure)

		Honduras				Guatemala			
Socio-economic variables	Male producer	-0.008 (0.027)	-0.011 (0.028)	-0.014 (0.025)	-0.028 (0.034)	0.040* (0.022)	0.041* (0.026)	0.041 (0.026)	0.044* (0.026)
	Age of producer (in 10 years)	-0.002 (0.001)	-0.002* (0.001)	-0.001* (0.001)	-0.002 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.000 (0.001)
	Education: Primary (vs no education)	0.007 (0.018)	0.012 (0.018)	0.007 (0.017)	0.006 (0.018)	-0.013 (0.029)	-0.028 (0.028)	-0.023 (0.027)	-0.034 (0.028)
	Education: Secondary or higher (vs no education)	0.002 (0.055)	0.005 (0.058)	-0.003 (0.058)	0.006 (0.057)	0.001 (0.038)	-0.009 (0.032)	0.000 (0.029)	-0.017 (0.039)
	Experience in cultivation of maize (in 10 years)	0.011 (0.011)	0.01 (0.010)	0.009 (0.010)	0.01 (0.010)	-0.011** (0.005)	-0.006 (0.006)	-0.010* (0.006)	-0.004 (0.006)
Market	Cost to reach market (USD/ Kg)	-0.019 (0.723)	-0.261 (0.712)	-0.198 (0.801)	-0.042 (0.765)	0.037*** (0.011)	0.037*** (0.011)	0.037*** (0.012)	0.035*** (0.011)
	log(Total production maize)		0.006 (0.009)	0.009 (0.008)	0.013 (0.011)		-0.011 (0.013)	-0.01 (0.011)	-0.006 (0.014)
Production	Time of planting: primera vs postrera		0.015 (0.018)	0.028 (0.017)	0.022 (0.021)		-0.048 (0.050)	-0.062 (0.047)	-0.047 (0.051)
	Improved seeds (dummy)		-0.044*** (0.011)	-0.038*** (0.012)	-0.036*** (0.012)		-0.005 (0.014)	-0.013 (0.015)	-0.002 (0.013)
	Number of different inputs applied ^a		0.004 (0.010)	-0.004 (0.010)	0.009 (0.011)		-0.002 (0.010)	-0.011 (0.007)	-0.005 (0.009)
	Number of different field maintenance activities ^b		-0.003 (0.022)	-0.008 (0.021)	-0.001 (0.023)		0.007 (0.029)	0.011 (0.048)	0.005 (0.028)
	Number of production activities done mechanically ^c		0.012 (0.008)	0.012 (0.008)	0.006 (0.015)		0.032*** (0.012)	0.034*** (0.010)	0.035*** (0.011)
	Hired labor for harvest		0.033 (0.031)	0.019 (0.034)	0.043 (0.026)		0.009 (0.012)	0.011 (0.013)	0.009 (0.012)
	Storage dummy		0.059** (0.025)	0.054*** (0.019)			-0.045 (0.030)	-0.039 (0.034)	
Post-harvest	Nb of post-harvest activities ^d		0.009 (0.008)	0.004 (0.008)	0.008 (0.009)		0.018** (0.009)	0.015* (0.009)	0.020** (0.008)
	Mechanical drying and winnowing		-0.038 (0.025)	-0.031 (0.021)	-0.034 (0.024)		0.001 (0.009)	0.021 (0.014)	-0.007 (0.010)
	Mechanical threshing activity		-0.015 (0.034)	-0.023 (0.031)	-0.010 (0.031)		-0.036 (0.042)	-0.042 (0.046)	-0.049 (0.040)
	Mechanical transport		-0.017 (0.020)	-0.014 (0.020)	-0.022 (0.021)		0.059*** (0.016)	0.061*** (0.014)	0.054*** (0.015)
	Storage time (in months)				-0.003 (0.003)				-0.004 (0.003)
Storage	Storage: Silo vs Traditional storage in 'troja'				-0.096* (0.056)				0.165*** (0.064)
	Storage: Silo vs Traditional storage in house				-0.02 (0.014)				0.100 (0.066)
	Number of storage conservation activities ^e				-0.018* (0.011)				0.005 (0.011)
Production problems & limitations to produce high quality (as perceived by the producer)	Climate			0.01 (0.021)				0.072*** (0.018)	
	Animals/ rodents			0.035** (0.017)				-0.009 (0.015)	
	Pest (plaga)			0.041*** (0.011)				0.005 (0.014)	
	Disease			0.032** (0.014)				0.057*** (0.016)	
	Limited market access			0.013 (0.024)				0.011 (0.025)	
Location fixed effects		municipality	municipality	municipality	municipality	municipality	municipality	municipality	municipality
Agroecological zone dummies		yes	yes	yes	yes	yes	yes	yes	yes
No. of Obs.		988	972	972	891	876	876	876	852

Note: Marginal effects from GLM models are reported. Standard errors in parenthesis clustered at the department level for Honduras and Guatemala. ^a This includes fertilizers, insecticides, herbicides and fungicides; ^b This includes irrigation and 'chapeo'; ^c Machine driven, instead of manual, production activities include: cleaning, sowing, herbicide application, pest control, fertilizer application, and harvest; ^d This refers to winnowing (sopla), threshing (desgrane), drying, putting in bags, and transport; ^e This includes chemical fumigation, natural fumigation, and ventilation

Table 9: Determinants of losses in the teff value chain in Ethiopia (GLM model)

Dependent variable: share of product lost at pre-harvest and post-harvest (A- measure)

		Ethiopia			
Socio-economic variables	Male producer	-0.021 (0.044)	-0.018 (0.042)	-0.005 (0.033)	-0.03 (0.043)
	Age of producer (in 10 years)	0.001 (0.001)	0.002* (0.001)	0.002 (0.001)	0.001 (0.001)
	Education: Primary (vs no education)	0.01 (0.016)	0.011 (0.015)	0.016 (0.010)	0.011 (0.017)
	Education: Secondary or higher (vs no education)	-0.003 (0.021)	0.000 (0.019)	0.009 (0.021)	-0.002 (0.020)
	Experience in cultivation of teff (in 10 years)	-0.022** (0.009)	-0.023** (0.010)	-0.025** (0.011)	-0.017* (0.010)
Market	Time to reach market (in 10 hours)	0.689*** (0.216)	0.710** (0.279)	0.528** (0.258)	0.669** (0.310)
Production	log(Total production teff)		-0.014 (0.013)	-0.019 (0.014)	-0.009 (0.013)
	Improved seeds (dummy)		-0.017 (0.025)	-0.010 (0.025)	-0.010 (0.026)
	Main variety: hybrid Quncho		-0.039 (0.033)	-0.028 (0.032)	-0.039 (0.034)
	Number of different inputs applied ^a		0.033* (0.018)	0.041** (0.018)	0.030 (0.019)
	Number of production activities done mechanically ^b		-0.004 (0.038)	-0.064* (0.037)	-0.018 (0.050)
	Hired labor for harvest		-0.017 (0.025)	-0.004 (0.022)	-0.023 (0.023)
	Post-harvest	Storage dummy		0.000 (0.053)	-0.018 (0.036)
Nb of post-harvest activities ^c			0.070*** (0.020)	0.055*** (0.020)	0.077*** (0.024)
Storage	Storage time (in months)				0.004 (0.004)
	Storage: Granary (dung or basket) vs bag				0.002 (0.042)
	Storage: Pit vs bag				-0.065*** (0.020)
	Storage: Traditional dibignet vs bag				0.016 (0.041)
	Number of storage conservation activities ^d				0.004 (0.016)
	Market	Sale: Sale in nearest town vs village			
Sale: Sale on plot/ house vs village					0.104*** (0.035)
Sale: No sales vs sales in village					-0.002 (0.046)
Production problems & limitations to produce high quality (as perceived by the producer)	Climate				0.020 (0.030)
	Pest				0.008 (0.049)
	Knowledge				-0.022 (0.022)
	Technology				0.174*** (0.058)
	Storage				0.042 (0.060)
	Soil				0.001 (0.032)
	Seeds				0.059** (0.028)
	Location fixed effects	kebele	kebele	kebele	kebele
Agroecological zone dummies	yes	yes	yes	yes	
No. of Obs.	1113	1113	1113	1094	

Note: Marginal effects from GLM models are reported. Standard errors in parenthesis clustered at the district level. ^a This includes fertilizers, insecticides, herbicides and fungicides; ^b This includes mechanical herbicide and pesticide application, and plowing; ^c This refers to cutting, drying, piling, threshing, winnowing, packaging, and transport to piling, threshing, and/or storage; ^d This includes cleaning previous to storage and preparation of storage site

9. REFERENCES

- Affognon, H., Mutungia C., Sangingac, P. and C. Borgemeistera. 2014. "Unpacking Postharvest Losses in Sub-Saharan Africa: A Meta-Analysis". *World Development*. 66: 49-68. doi:10.1016/j.worlddev.2014.08.002
- APHLIS. 2014. "Understanding Aphlis - The African Postharvest Losses Information System." Available at: <http://www.aphlis.net/downloads/Understanding%20APHLIS%20ver%20%202.2%20May%2014.pdf>
- Bellemare, Marc; Cakir, Meting; Peterson, Hikaru Hanawa; Novak, Lindsey; Rudi, Jeta; (2017). On the Measurement of Food Waste. *Amer. J. Agr. Econ.* 0(0): 1–20.
- Beretta, C. , Stoessel, F., Baier, U., and S. Hellweg. 2013. "Quantifying Food Losses and the Potential for Reduction in Switzerland." *Waste Management*. 33 (3): 764–73. doi:10.1016/j.wasman.2012.11.007.
- Buzby, J.C., Wells, H.F. and Hyman, J. 2014. "The estimated amount, value, and calories of postharvest food losses at the retail and consumer levels in the United States". EIB-121, US Department of Agriculture, Economic Research Service
- CalRecycle - California Department of Resources Recycling and Recovery. 2009. "Food Waste Composting Regulations White Paper California Integrated Waste Management Board"
<http://www.calrecycle.ca.gov/LEA/Regs/Review/FoodWastComp/FoodWastcomp.pdf>
- Compton, J. A. F. and J. Sherington. (1999). "Rapid assessment methods for stored maize cobs: Weight losses due to insect pests." *Journal of Stored Products Research* 35(1): 77–87.
- Consultation, Public Electronic. 2014. "HLPE Report on Food Losses and Waste in the Context of Sustainable Food Systems." No. April 2013: 1–6.
- De Mel, Suresh; Mc Kenzie, David; and Woodruff, Crhistopher; (2009). Measuring microenterprise profits: Must we ask how the sausage is made? *Journal of Development Economics* 88 (2009) 19-31.
- Delgado, L; Schuster, M; and Torero, M; (2017). Including the potential losses across the value chains as part of the definition of food losses. IFPRI, Mimeo.
- EMMSA. Empresa Municipal de Mercados S.A. <http://www.emmsa.com.pe/>. Lima. Peru.
- ESPAC. 2015. Encuesta de Superficie y Produccion Agropecuaria Continua. Dirección Responsable de la información estadística y contenidos: Dirección de estadísticas agropecuarias y ambientales. Quito, Ecuador.
- FAO. 2011. "Global Food Losses and Food Waste. Extent, Causes and Prevention". Rome: UN FAO.
- _____. 2013. "Toolkit: reducing the food wastage footprint". Rome: UN FAO.
- _____. 2014. "Working Paper Definitional Framework of Food Loss - Global Initiative on Food Loss and Waste Reduction." Rome: UN FAO.
- FAOSTAT. Food and Agriculture Data. <http://www.fao.org/faostat/en/#home>. FAO. Rome.
- Fonseca, J. and D. Njie. 2009. "Addressing food losses due to non-compliance with quality and safety requirements in export markets: the case of fruits and vegetables from the Latin America and the Caribbean region". Rome: UN FAO
- Fusions. 2013. "Report on review of (food) waste reporting methodology and practice". Fusions EU Project. Available at : <http://www.eu-fusions.org/index.php/publications>
- G20 Agriculture Ministers Meeting. 2015. Final Communiqué. 7-8th May, Istanbul. Available at: <https://g20.org/wp-content/uploads/2015/05/G20-Agriculture-Ministers-Final-Communique.pdf>
- HLPE. 2013. "Biofuels and food security. A report by the High Level Panel of Experts on Food Security and Nutrition of the Committee on World Food Security". Rome.

- HLPE. 2014. "Food losses and waste in the context of sustainable food systems. A report by the High Level Panel of Experts on Food Security and Nutrition". CFS - Committee on World Food Security.
- Hodges, R. 2010. "Postharvest weight loss estimates for cereal supply calculations in East and Southern Africa". Natural Resources Institute: Chatham, UK.
- Kader, A. 2005. "Increasing food availability by reducing postharvest losses of fresh produce". *Acta Horticulturae* 682: 2169–2175.
- Kader, A. 2009. "Postharvest Losses of Fruits and Vegetables in Developing Countries: A Review of the Literature". Presentation at UC Davis (November 10th).
- Kaminski, J., & Christiaensen, L. (2014). Post-Harvest Loss in Sub-Saharan Africa: What Do Farmers Say? *Global Food Security* 3: 149–158.
- Kummu, M., H. de Moel, M. Porkka, S. Siebert, O. Varis, and P.J. Ward. 2012. "Lost food, wasted resources: Global food supply chain losses and their impacts on freshwater, cropland and fertilizer use". *Science of the total environment* 438: 477-489.
- Lipinski, B., C. Hanson, J. Lomax, L. Kitinoja, R. Waite, and T. Searchinger. 2013. "Reducing Food Loss and Waste." Working Paper, Installment 2 of Creating a Sustainable Food Future. Washington, DC: World Resources Institute. Available at <http://www.worldresourcesreport.org>.
- Liu, G. 2014. "Food losses and food waste in China: a first estimate". OECD Food, Agriculture and Fisheries Papers. No. 66. OECD Publishing (<http://dx.doi.org/10.1787/5jz5sq5173lq-en>)
- Lundqvist, J., C. de Fraiture, and D. Molden. 2008. "Saving water: from field to fork—curbing losses and wastage in the food chain". In SIWI Policy Brief. Stockholm, Sweden: SIWI.
- Ministerio de Agricultura y Ganadería (MAGAP). 2014. Boletín Situacional Papa. <http://sinagap.agricultura.gob.ec/phocadownloadpap/cultivo/2014/kboletin-situacional-de-papa-2014-actualizado.pdf>.
- MINAGRI 2016. <http://minagri.gob.pe/portal/monitoreo-agroclimatico/papa-2016>. The Ministry of Agriculture and Irrigation (MINAGRI). Lima. Peru
- Minten, B, T. Reardon, S. Das Gupta, H. Dinghuan, and K. Murshid. 2016a . "Wastage in Food Value Chains in Developing Countries: Evidence from the Potato Sector in Asia." In *Food Security in a Food Abundant World*. <http://dx.doi.org/10.1108/S1574-871520150000016010>
- Minten, B, E. Engida, and T. Seneshaw. 2016b. "How big are post-harvest losses in Ethiopia? Evidence from teff." ESSP WORKING PAPER 93. Washington DC: IFPRI.
- Monier, V., M. Shailendra, V. Escalon, C. O'Connor, T. Gibon, G. Anderson, M. Hortense, and H. Reisinger. 2010. "Preparatory Study on Food Waste across EU 27". European Commission (DG ENV) Directorate C-Industry. 2010. Final Report. ISBN: 978-92-79-22138-5
- Parfitt, J., M. Barthel, and S. Macnaughton. 2010. "Food Waste within Food Supply Chains: Quantification and Potential for Change to 2050." *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 365 (1554): 3065–81. doi:10.1098/rstb.2010.0126.
- Rolle, R.S. ed. 2006. "Improving postharvest management and marketing in the Asia-Pacific region: issues and challenges trends". In *Postharvest management of fruit and vegetables in the Asia-Pacific region*, 23–31. R.S. Rolle, ed. Tokyo, Asian Productivity Organization.
- Rosegrant, M., E. Magalhaes, R. Almonte-Santos, and D. Mason. 2015. "Returns to Investment in Reducing Postharvest Food Losses and Increasing Agricultural Productivity Growth - Post-2015 Consensus". Copenhagen Consensus Center
- SAG/UPEG 2015. <http://sisem.sag.gob.hn/>. Secretaría de Agricultura y Ganadería y la Unidad de Planeamiento y Evaluación de la Gestión. Tegucigalpa, Honduras.

- Stuart, T. 2009. *Waste: Uncovering the Global Food Scandal*. London:W.W. Norton Co.
- Tefera, T., F. Kanampiu, H. De Groote, J. Hellin, S. Mugo, S. Kimenju, Y. Beyene, P.M. Boddupalli, B. Shiferaw, and M. Banziger. 2011. "The Metal Silo: An Effective Grain Storage Technology for Reducing Post-Harvest Insect and Pathogen Losses in Maize while Improving Smallholder Farmers' Food Security in Developing Countries." *Crop Protection* 30: 240-245.
- Venkat, K. 2011. "The Climate Change and Economic Impacts of Food Waste in the United States". *International Journal on Food System Dynamics* 2: 431-446.
- Waarts, Y., M. Eppink, E. Oosterkamp, S. Hiller, A. Van Der Sluis, and A. Timmermans. 2011. "Reducing food waste: obstacles and experiences in legislation and regulations". Rapport LEI 2011-059. 128
- World Bank. 2011. "Missing food: The case of postharvest grain losses in Sub-Saharan Africa". Washington, DC: The World Bank.
- WRAP. 2009. "Household Food and Drink Waste in the UK". Banbury: WRAP. Available at: http://www.wrap.org.uk/sites/files/wrap/Household_food_and_drink_waste_in_the_UK_-_report.pdf
- _____. 2010. "Waste arisings in the supply of food and drink to households in the UK". Available at: <http://www.wrap.org.uk/sites/files/wrap/Waste%20arisings%20in%20the%20supply%20of%20food%20and%20drink%20toUK%20households,%20Nov%202011.pdf>
- _____. 2013. "Methods Used for Household Food and Drink Waste in the UK 2012."

10. APPENDIX A

Table A1: Survey questions to estimate food losses with the ‘Self-reported method’

		Sum of survey questions: 'In the last planting season...'
PRODUCER	Loss expressed in weight	a) what is the quantity of your harvest that was damaged (previous to post-harvest activities)?
		b) what is the quantity of good product that was not harvested (left in the field)?
	Loss expressed in value	c) what is the quantity totally lost during post-harvest activities?
		d) what is the quantity damaged during post-harvest activities?
		a) what is the value of your harvest that was damaged (previous to post-harvest activities)?
		b) what is the value of the quantity of good product that was not harvested (left in the field)?
		c) what is the value of your product totally lost during post-harvest activities?
		d) what is the value of your product damaged during post-harvest activities?
		Sum of the survey questions: 'Last month, and between the moment of purchase and sales of your product...'
MIDDLEMEN	Loss expressed in weight	a) Was is the quantity of your total purchase that got damaged during each of your post-harvest activities?
		b) Was is the quantity of your total purchase that got totally lost during each of your post-harvest activities?
	Loss expressed in value	a) Was is the value of your total purchase that got damaged during each of your post-harvest activities?
		b) Was is the value of your total purchase that got totally lost during each of your post-harvest activities?
		Sum of the survey questions: 'Last month, and between the moment of purchase and sales of your product...'
PROCESSOR	Loss expressed in weight	a) Was is the quantity of your total purchase that got damaged during each of your transformation activities?
		b) Was is the quantity of your total purchase that got totally lost during each of your transformation activities?
	Loss expressed in value	a) Was is the value of your total purchase that got damaged during each of your transformation activities?
		b) Was is the value of your total purchase that got totally lost during each of your transformation activities?

Table A2: Losses along the potato value chain in Ecuador

Level of the value chain			P method		S method		C method		A method		
			mean	std dev	mean	std dev	mean	std dev	mean	std dev	
PRODUCER (N=287)	Left in the field	Weight of quantity left in the field	in kg	226.15 [^]	1,250.83 [^]	226.15	1,250.83	226.15 [^]	1,250.83 [^]	226.15 [^]	1,250.83 [^]
			% of total production	0.67% [^]	0.03 [^]	0.67%	0.03	0.67% [^]	0.03 [^]	0.67% [^]	0.03 [^]
			in USD	40.02 [^]	194.13 [^]	40.02	194.13	40.02 [^]	194.13 [^]	40.02 [^]	194.13 [^]
			% of value of total production	0.55% [^]	0.03 [^]	0.55%	0.03	0.55% [^]	0.03 [^]	0.55% [^]	0.03 [^]
	Qualitative pre-harvest loss	Weight affected by quality deterioration	in kg	-	-	779.70	1,723.27	3,378.27	9,479.02	2,611.90	6,180.92
			% of total production	-	-	5.01%	0.13	7.69%	0.08	8.43%	0.17
		Value affected by quality deterioration	in USD	-	-	128.27	297.69	806.70	2,263.51	461.74	1,102.87
			% of value of total production	-	-	3.40%	0.09	7.69%	0.08	6.18%	0.13
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	492.67	1,072.99	2,321.71	8,279.38	2,409.36	12,308.30
			% of total production	-	-	2.45%	0.05	4.46%	0.10	3.88%	0.10
		Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	100.89	256.07	696.57	2160.64	550.70	2529.49
			% of value of total production	-	-	2.28%	0.06	5.54%	0.10	3.93%	0.10
TOTAL LOSS AT THE PRODUCER LEVEL		in kg	4145.65	15885.53	1,497.72	2,269.53	5926.13	14155.88	4982.47	13634.20	
		% of total production	11.84%	0.16	8.11%	0.14	12.82%	0.14	12.17%	0.19	
		in USD	989.95	3,793.33	269.18	434.27	1,543.29	3,661.19	1,007.46	2,754.94	
		% of value of total production	11.84%	0.16	6.22%	0.11	13.78%	0.14	10.03%	0.16	

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A3: Losses along the potato value chain in Peru

Level of the value chain			P method		S method		C method		A method		
			mean	std dev	mean	std dev	mean	std dev	mean	std dev	
PRODUCER (N=369)	Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	348.39 [^]	1,331.35 [^]	348.39	1,331.35	348.39 [^]	1,331.35 [^]	348.39 [^]	1,331.35 [^]
			% of total production	0.77% [^]	0.02 [^]	0.77%	0.02	0.77% [^]	0.02 [^]	0.77% [^]	0.02 [^]
		Value affected by quality deterioration at pre-harvest	in USD	56.47 [^]	174.14 [^]	56.47	174.14	56.47 [^]	174.14 [^]	56.47 [^]	174.14 [^]
		% of value of total production	0.66% [^]	0.02 [^]	0.66%	0.02	0.66% [^]	0.02 [^]	0.66% [^]	0.02 [^]	
	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	-	2,249.98	4,374.09	7,603.83	30,372.37	7,848.75	24,024.36
			% of total production	-	-	6.24%	0.11	12.70%	0.06	16.26%	0.23
		Value affected by quality deterioration at pre-harvest	in USD	-	-	265.36	632.76	1,715.88	6,853.83	1,419.39	4,421.27
		% of value of total production	-	-	3.42%	0.08	12.70%	0.06	13.03%	0.18	
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	949.16	3,004.10	1,263.84	4,068.20	3,674.13	30,220.87
			% of total production	-	-	2.37%	0.05	2.51%	0.06	3.36%	0.14
		Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	132.23	367.66	343.19	1,027.08	782.12	6,703.79
		% of value of total production	-	-	1.51%	0.04	3.37%	0.06	3.10%	0.13	
TOTAL LOSS AT THE PRODUCER LEVEL			in kg	7,998.07	19,046.68	3,547.54	6,947.70	9,216.06	32,955.29	11,522.87	38,725.77
			% of total production	19.84%	0.19	9.38%	0.13	15.99%	0.10	19.62%	0.26
			in USD	1,804.85	4,298.08	454.06	841.79	2,115.54	7,330.47	2,201.52	8,059.87
			% of value of total production	19.84%	0.19	5.58%	0.09	16.73%	0.11	16.13%	0.21

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A4: Losses along the bean value chain in Guatemala

Level of the value chain			P method		S method		C method		A method		
			mean	std dev	mean	std dev	mean	std dev	mean	std dev	
PRODUCER (N=431)	Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	0.87 [^]	2.20 [^]	0.87	2.20	0.87 [^]	2.20 [^]	0.87 [^]	2.20 [^]
			% of total production	1.16% [^]	0.03 [^]	1.16%	0.03	1.16% [^]	0.03 [^]	1.16% [^]	0.03 [^]
		Value affected by quality deterioration at pre-harvest	in USD	1.07 [^]	2.72 [^]	1.07	2.72	1.07 [^]	2.72 [^]	1.07 [^]	2.72 [^]
		% of value of total production	1.01% [^]	0.03 [^]	1.01%	0.03	1.01% [^]	0.03 [^]	1.01% [^]	0.03 [^]	
	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	-	1.88	5.71	7.20	13.00	17.56	38.34
			% of total production	-	-	2.76%	0.08	5.56%	0.05	13.62%	0.19
		Value affected by quality deterioration at pre-harvest	in USD	-	-	1.97	6.01	10.41	18.78	22.17	48.71
		% of value of total production	-	-	2.26%	0.06	5.56%	0.05	11.99%	0.17	
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	4.72	9.77	7.93	28.99	6.37	25.89
			% of total production	-	-	5.85%	0.12	6.08%	0.13	4.88%	0.12
		Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	5.20	11.15	14.84	48.60	9.40	37.89
		% of value of total production	-	-	4.45%	0.09	6.39%	0.13	4.97%	0.12	
TOTAL LOSS AT THE PRODUCER LEVEL		in kg	26.59	48.09	7.47	12.12	16.01	35.68	24.79	46.56	
		% of total production	16.72%	0.18	9.77%	0.15	12.80%	0.15	19.67%	0.22	
		in USD	38.42	69.48	8.24	13.61	26.31	60.40	32.64	62.22	
		% of value of total production	16.72%	0.18	7.72%	0.12	12.95%	0.16	17.97%	0.20	

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A5: Losses along the maize value chain in Guatemala

Level of the value chain			P method		S method		C method		A method			
			mean	std dev	mean	std dev	mean	std dev	mean	std dev		
PRODUCER (N=876)	Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	3.76 [^]	11.59 [^]	3.76	11.59	3.76 [^]	11.59 [^]	3.76 [^]	11.59 [^]	
		% of total production		0.45% [^]	0.01 [^]	0.45%	0.01	0.45% [^]	0.01 [^]	0.45% [^]	0.01 [^]	
		Value affected by quality deterioration at pre-harvest	in USD	1.26 [^]	3.65 [^]	1.26	3.65	1.26 [^]	3.65 [^]	1.26 [^]	3.65 [^]	
		% of value of total production		0.40% [^]	0.01 [^]	0.40%	0.01	0.40% [^]	0.01 [^]	0.40% [^]	0.01 [^]	
	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	-	17.93	34.43	81.23	145.18	144.48	368.06	
		% of total production		-	-	3.89%	0.09	8.94%	0.07	15.86%	0.20	
	Qualitative and Quantitative post-harvest loss	Value affected by quality deterioration at pre-harvest	in USD	-	-	5.58	11.70	35.20	62.92	33.46	84.97	
		% of value of total production		-	-	2.88%	0.07	8.94%	0.07	8.43%	0.11	
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	33.98	56.73	52.75	217.32	46.69	197.94	
		% of total production		-	-	5.50%	0.10	5.18%	0.11	4.15%	0.09	
	Qualitative and Quantitative post-harvest loss	Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	11.53	19.23	23.74	92.18	20.96	88.30	
		% of value of total production		-	-	4.29%	0.08	5.70%	0.11	4.59%	0.10	
TOTAL LOSS AT THE PRODUCER LEVEL			in kg	191.24	567.88	55.67	70.13	137.74	278.79	194.93	442.38	
			% of total production		15.27%	0.16	9.84%	0.14	14.58%	0.13	20.46%	0.21
			in USD	82.88	246.12	18.37	24.22	60.20	123.64	55.68	127.73	
			% of value of total production		15.27%	0.16	7.57%	0.11	15.04%	0.15	13.42%	0.14

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A6: Losses along the bean value chain in Honduras

Level of the value chain			P method		S method		C method		A method		
			mean	std dev	mean	std dev	mean	std dev	mean	std dev	
PRODUCER (N=650)	Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	3.95 [^]	11.59 [^]	3.95	11.59	3.95 [^]	11.59 [^]	3.95 [^]	11.59 [^]
			% of total production	0.98% [^]	0.03 [^]	0.98%	0.03	0.98% [^]	0.03 [^]	0.98% [^]	0.03 [^]
		Value affected by quality deterioration at pre-harvest	in USD	3.37 [^]	9.77 [^]	3.27	9.77	3.37 [^]	9.77 [^]	3.37 [^]	9.77 [^]
			% of value of total production	0.93% [^]	0.03 [^]	0.93%	0.03	0.93% [^]	0.03 [^]	0.93% [^]	0.03 [^]
	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	-	9.42	37.45	46.81	88.39	74.73	181.84
			% of total production	-	-	2.35%	0.09	8.06%	0.05	14.12%	0.22
	Qualitative pre-harvest loss	Value affected by quality deterioration at pre-harvest	in USD	-	-	6.34	25.89	42.06	79.42	57.23	138.76
			% of value of total production	-	-	1.90%	0.07	8.06%	0.05	12.01%	0.19
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	13.10	41.16	16.20	69.82	35.48	185.09
			% of total production	-	-	2.92%	0.09	4.23%	0.11	4.67%	0.11
	Qualitative and Quantitative post-harvest loss	Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	8.95	28.96	28.40	71.52	29.51	145.30
			% of value of total production	-	-	2.40%	0.08	6.35%	0.11	4.62%	0.11
TOTAL LOSS AT THE PRODUCER LEVEL			in kg	129.69	392.89	26.47	62.58	66.96	117.30	114.16	266.35
			% of total production	17.39%	0.22	6.25%	0.14	13.27%	0.12	19.77%	0.25
			in USD	116.53	353.04	18.56	44.41	73.73	123.74	90.01	207.21
			% of value of total production	17.39%	0.22	5.23%	0.12	15.34%	0.12	17.56%	0.22

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A7: Losses along the maize value chain in Honduras

Level of the value chain			P method		S method		C method		A method	
			mean	std dev	mean	std dev	mean	std dev	mean	std dev
Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	12.03 [^]	41.31 [^]	12.03	41.31	12.03 [^]	41.31 [^]	12.03 [^]	41.31 [^]
		% of total production	1.02% [^]	0.03 [^]	1.02%	0.03	1.02% [^]	0.03 [^]	1.02% [^]	0.03 [^]
	Value affected by quality deterioration at pre-harvest	in USD	3.68 [^]	11.47 [^]	3.68	11.47	3.68 [^]	11.47 [^]	3.68 [^]	11.47 [^]
		% of value of total production	0.98% [^]	0.03 [^]	0.98%	0.03	0.98% [^]	0.03 [^]	0.98% [^]	0.03 [^]
PRODUCER (N=988)	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	37.84	78.01	93.20	276.62	96.84	369.77
			% of total production	-	5.52%	0.12	7.19%	0.07	7.11%	0.15
	Qualitative and Quantitative post-harvest loss	Value affected by quality deterioration at pre-harvest	in USD	-	11.04	24.77	32.50	96.45	31.33	120.01
			% of value of total production	-	4.73%	0.11	7.19%	0.07	6.60%	0.14
TOTAL LOSS AT THE PRODUCER LEVEL	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	28.74	76.27	80.84	236.10	89.32	562.55
			% of total production	-	3.41%	0.09	8.47%	0.14	7.81%	0.14
		Value totally lost and affected by quality deterioration at post-harvest	in USD	-	8.58	21.30	29.24	64.05	30.18	170.86
			% of value of total production	-	3.16%	0.09	8.48%	0.14	7.83%	0.14
TOTAL LOSS AT THE PRODUCER LEVEL		in kg	284.26	767.32	78.61	130.64	186.08	402.77	198.19	730.11
		% of total production	17.41%	0.21	9.95%	0.16	16.69%	0.16	15.95%	0.20
		in USD	99.12	267.55	23.30	38.33	65.43	124.38	65.19	225.24
		% of value of total production	17.41%	0.21	8.87%	0.15	16.64%	0.16	15.41%	0.19


Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; [^] Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)

Table A8: Losses along the teff value chain in Ethiopia


Level of the value chain			P method		S method		C method		A method			
			mean	std dev	mean	std dev	mean	std dev	mean	std dev		
PRODUCER (N=1186)	Left in the field	Weight affected by quality deterioration at pre-harvest	in kg	0.02^	0.53^	0.02	0.53	0.02^	0.53^	0.02^	0.53^	
			% of total production	0.00%^	0.00^	0.00%	0.00	0.00%^	0.00^	0.00%^	0.00^	
		Value affected by quality deterioration at pre-harvest	in USD	0.02^	0.52^	0.02	0.52	0.02^	0.52^	0.02^	0.52^	
			% of value of total production	0.00%	0.00	0.00%	0.00	0.00%	0.00^	0.00%	0.00^	
	Qualitative pre-harvest loss	Weight affected by quality deterioration at pre-harvest	in kg	-	-	8.89	30.92	40.77	46.83	108.49	245.11	
			% of total production	-	-	2.34%	0.08	6.39%	0.04	17.07%	0.29	
		Value affected by quality deterioration at pre-harvest	in USD	-	-	11.25	40.78	63.32	72.74	64.23	157.66	
			% of value of total production	-	-	1.81%	0.06	6.39%	0.04	6.63%	0.13	
	Qualitative and Quantitative post-harvest loss	Weight totally lost and affected by quality deterioration at post-harvest	in kg	-	-	18.44	16.17	16.24	70.65	42.68	166.45	
			% of total production	-	-	4.52%	0.06	2.28%	0.08	2.70%	0.09	
		Value totally lost and affected by quality deterioration at post-harvest	in USD	-	-	28.98	26.92	34.65	112.10	26.78	107.56	
			% of value of total production	-	-	4.45%	0.06	3.10%	0.08	2.38%	0.08	
TOTAL LOSS AT THE PRODUCER LEVEL		in kg			47.59	94.88	27.35	36.39	57.02	90.10	127.90	252.54
		% of total production			8.69%	0.12	6.86%	0.11	8.67%	0.09	19.76%	0.30
		in USD			73.91	147.36	40.24	51.36	97.98	143.19	91.03	190.62
		% of value of total production			8.69%	0.12	6.26%	0.09	9.49%	0.09	9.02%	0.14

Note: P= Price method; S= Self-reported method, C= Category method; A= Attribute method; ^ Data are imputed from the 'S measurement'; Quantitative Loss = Total loss (product disappeared); Qualitative Loss= Product affected by quality deteriorations (product did not entirely disappear but quality is reduced)


3. Honduras: We collected 1777 surveys (1155 farmers, 377 middlemen, and 245 wholesale buyers) in the departments of Choluteca, El Paraiso, Francisco Morazán, Intibucá, La Paz, Lempira, Ocotepeque, Olancho, Santa Barbara, Valle, Cortes, Copan and Yoro; the following map shows the distribution.



4. Guatemala: We collected 1758 surveys (1209 farmers, 325 middlemen, and 224 wholesale buyers) in the departments of Solola, Quetzaltenango, Totonicapán, San Marcos, Guatemala, Sacatepequez, Chimaltenango and Escuintla; the following map shows the distribution.



5. Ethiopia We collected 1203 surveys for farmers in the regions of Oromia and Amhara; the following map shows the distribution.



For earlier Discussion Papers

please click [here](#)

**All discussion papers can be downloaded
free of charge**

INTERNATIONAL FOOD POLICY RESEARCH INSTITUTE

www.ifpri.org

IFPRI HEADQUARTERS

1201 Eye Street, NW
Washington, DC 20005 USA
Tel.: +1-202-862-5600
Fax: +1-202-862-5606
Email: ifpri@cgiar.org